

Mark Scheme (Results)

January 2016

Pearson Edexcel International Advanced Level in Biology (WBI01) Paper 01 - Lifestyle, Transport, Genes and Health

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

January 2016
Publications Code IA043005*
All the material in this publication is copyright
© Pearson Education Ltd 2016

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question Number	Answer	Additional Guidance	Mark
1(a)(i)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		(1)

Question Number		Answer	Additional Guidance	Mark
1(a)(ii)	В	hydrogen bonding		(1)

Question Number	Answer	Additional Guidance	Mark
1(b)(i)	(glucose is a) { polar molecule / forms hydrogen bonds with water};	ALLOW description of hydrophilic or hydroxyl groups being attracted to water	
		Do not accept reference to hydrolysis	
		IGNORE description of water molecules e.g. water is polar	
		IGNORE reference to charge or ionic	(1)

Question Number	Answer	Additional Guidance	Mark
1(b)(ii)	 triglycerides are insoluble (in water) / eq; as lipoproteins / as LDL / as HDL; 	ACCEPT idea that triglycerides are hydrophobic / nonpolar	
	3. formed into vesicles / micelles ;	2. ACCEPT idea that they are attached to protein3. ACCEPT chylomicrons	(2)

Question Number	Answer	Additional Guidance	Mark
2(a)(i)	B catalyse the conversion of fibrinogen to fibrin;		(1)

Question Number	Answer	Additional Guidance	Mark
2(a)(ii)	A calcium;		(1)

Question Number	Answer	Additional Guidance	Mark
2(a)(iii)	B present in an inactive form in the blood;		(1)

Question Number	Answer	Additional Guidance	Mark
2(b)	(QWC - Spelling of technical terms must be correct and the answer must be organised in a logical sequence)	(QWC emphasis on clarity of expression)	
	1. (folded into) large number of alveoli;		
	2. (providing) large surface area;	2. IGNORE large surface area to volume ratio	
	3. walls of {alveoli / capillary} are thin;	3. must make reference to 'walls'	
	4. (the walls) are made from a single layer of flattened cells;5. idea that (thin walls) ensures short diffusion distance;	4. ACCEPT single layer of squamous epithelial cells	
	6. idea of a (extensive) capillary network;7. maintains a concentration gradient;	6. ACCEPT lots of capillaries / many capillaries / surrounded by capillaries / covered by capillaries	(5)

Question Number	Answer	Additional Guidance	Mark
2(c)	reduces the flow of blood { to the lungs / through the blood vessels } ;	1. IGNORE unqualified references to blocking of blood vessels 1. ACCEPT a named type of blood vessel	
	2. decreases the {concentration gradient / diffusion rate};		(2)

Question Number	Answer	Additional Guidance	Mark
3(a)(i)	different countries have different population sizes / number of people in each country may differ;		(1)

Question Number	Answer	Additional Guidance	Mark
3(a)(ii)	48 000 ÷ 31 000 000 ;	Correct answer without working gains full marks	
		ACCEPT alternative valid working	
	= 155 ;	ACCEPT 154.8	(2)

Question Number	Answer	Additional Guidance	Mark
3(a)(iii)		All marking points must be in the context of comparing the countries	
	1. genetic difference ;	1. ACCEPT ethnic differences	
	2. dietary difference ;	2. different {calorie / energy}	
	3. different age profiles ;	intake	
	4. lifestyle difference qualified ;	4 & 5. smoking / exercise /	
	5. another lifestyle difference qualified;	alcohol consumption / stress	
	6. healthcare difference ;		(3)

Question Number	Answer	Additional Guidance	Mark
3(b)(i)	 (statins) inhibit the synthesis / production of cholesterol (in the liver) reducing (total) blood cholesterol levels; 	1. ACCEPT inhibits enzyme that synthesises cholesterol / HMG-CoA reductase	
	3. raises HDL levels / increases HDL: LDL ratio / lowers LDL;		(2)

Question Number	Answer	Additional Guidance	Mark
3(b)(ii)	1. muscle { inflammation / pain / eq};		
	2. liver {damage / failure / eq};		
	3. joint {aches / pains / eq};		
	4. nausea / constipation / diarrhoea;	4. ACCEPT poor absorption of	
	5. kidney {damage / failure / eq};	vitamins	
	6. cataracts;		
	7. diabetes ;		
	8. allergies / skin inflammation / skin rash / eq;	8. ACCEPT unqualified	
	9. respiratory problems / persistent cough / eq;	inflammatory response	
	10. headaches / dizziness / depression ;		(2)

Question Number	Answer	Additional Guidance	Mark
4(a)(i)	B non-polar and hydrophobic		(1)

Question Number	Answer	Additional Guidance	Mark
4(a)(ii)	A carbon and hydrogen only		(1)

Question Number	Answer	Additional Guidance	Mark
4(a)(iii)	A an ester bond		(1)

Question Number	Answer	Additional Guidance	Mark
4(b)(i)	as the ratio increases membrane fluidity decreases / as the ratio decreases membrane fluidity increases	ACCEPT fluidity decreases as the ratio increases	
	Or		
	negative correlation / inversely proportional;		(1)

Question Number	Answer	Additional Guidance	Mark
4(b)(ii)	1.3 – 1.1	Correct answer gains full marks	
	Or	IGNORE signs	
	= 0.2;		
	= 15.4 (%);	ACCEPT 15.38 (%)	(2)

Question Number	Answer	Additional Guidance	Mark
4(b)(iii)	1. combines with fatty acid tails;		
	2. holds / pulls the fatty acid chains together;		
	3. reducing movement of the {phospholipid / fatty acid tails};		(2)

Question Number	Answer	Additional Guidance	Mark
4(c)	 active transport (of potassium ions); requiring {energy / ATP}; 	IGNORE reference to concentration gradients	
	3. idea of involvement of membrane proteins;	ALLOW carrier proteins / Na ⁺ / K ⁺ pump	(2)

Question Number	Answer	Additional Guidance	Mark
4(d)	1. water {moves / diffuses} into the cells;		
	2. by osmosis ;		
	3. from region of high water concentration (outside cell) to region of low water concentration (inside the cell);	 ALLOW from region of high water potential (outside cell) to region of low water potential (inside the cell) from a region of low solute concentration to a region of high solute concentration 	
	 idea that { stress on membrane components increases / overcomes adhesion between molecules}; 	ALLOW idea that high / increase in pressure (causes cell to burst)	(3)

Question Number	Answer	Additional Guidance	Mark
5(a)(i)	it is only expressed in the homozygous condition / eq;		
	Or		
	it is expressed in the absence of the dominant allele / eq;	ACCEPT it is not expressed in the presence of the dominant allele	(1)

Question Number	Answer	Additional Guidance	Mark
5(a)(ii)	 alteration in DNA; change in base { sequence / quantity} / eq; 	ACCEPT named type of mutation ACCEPT codon / nucleotide if in correct context	
		Note: 'A change in the base sequence of DNA' gains both marks	(2)

Question Number	Answer	Additional Guidance	Mark
5(b)	(QWC - Spelling of technical terms must be correct and the answer must be organised in a logical sequence)	(QWC emphasis on logical sequence)	
	1. change in { DNA triplet / codons};		
	2. results in different {amino acids / amino acid sequence / primary structure} / eq;		
	3. different R groups / different position of R groups ;		
	4. idea that this may change the bonding / named example of bonding;		
	5. change in folding;		
	6. therefore changing the {shape / structure} of the active site;		
	7. idea that enzyme is unable to combine with its substrate		(5)

Question Number	Answer	Additional Guidance	Mark
5(c)	idea that less glucose available (from breakdown of glycogen to glucose);		
	2. idea that glucose is required { to provide ATP / to provide energy / for respiration};		(2)

Question Number	Answer	Additional Guidance	Mark
5(d)(i)	chorionic villus sampling / amniocentesis ;	ACCEPT CVS / sampling chorionic villus	(1)

Question Number	Answer	Additional Guidance	Mark
5(d)(ii)	idea that it is a rare condition / there may not be a family history of this condition;	ACCEPT idea of cost or availability of testing	
		IGNORE no carriers in family	(1)

Question Number	Answer	Additional Guidance	Mark
5(d)(iii)			
	Stated risk associated with testing;	ACCEPT harm to fetus,	
		miscarriage, abortion, inaccurate	
		results / false results / false	
		positive / false negative /	
		difficulty in getting insurance	(1)

Question Number	Answer	Additional Guidance	Mark
6(a)	1. idea that animals have a small surface area to volume ratio;	ALLOW low surface area to volume ratio	
	2. idea that diffusion alone is not sufficient;3. heart needed to {pump / move / eq} blood (around the		
	body); 4. reference to mass flow;	4. IGNORE mass transport	
	5. transport of {a named molecule / heat};		
	6. idea that animals have a high metabolic rate;	6. ACCEPT animals have a high energy demand	(4)

Question Number	Answer	Additional Guidance	Mark
6(b)	1. idea that wall of the aorta is {thick / contains collagen}	MP1 & MP3 must refer to the 'wall'	
	2. to withstand pressure ;		
	3. wall of the aorta contains {elastic fibres / elastic tissue / elastin};	3. ACCEPT description of wall	
	4. allowing (the wall of) the aorta to stretch and recoil;		
	5. (recoil) helps to maintain {high pressure / rapid flow / eq};		
	6. (semilunar) valve present (at the start of aorta);		
	7. that prevents back flow of blood (during diastole);		(4)

Question Number	Answer	Additional Guidance	Mark
7(a)	 idea of (extracting) juice from the broccoli; use DCPIP; 	e.g. add juice 'drop by drop' to DCPIP / or converse	
	3. idea of titration (of juice) / eq;	IGNORE descriptions of vitamin C being added to DCPIP	
	4. correct colour change described;	4. Blue to colourless if juice added to DCPIP, Colourless to blue if DCPIP added to juice IGNORE decolourised	
	5. record {volume / number of drops} added;		
	6. idea of a calibration curve / use of a standard vitamin C solution ;		(4)

Question Number	Answer	Additional Guidance	Mark
7(b)(i)	the longer the cooking time the greater the reduction in vitamin C in both methods;		
	2. boiling causes greater reduction / microwaving causes less reduction;		(2)

Question Number	Answer	Additional Guidance	Mark
7(b)(ii)	broccoli used to be of same { type / plant / mass / age / preparation };	IGNORE same size IGNORE reference to more repeats	(1)

Question Number	Answer	Additional Guidance	Mark
7(b)(iii)	1. boiling damages cell membranes;	ALLOW a description of damage lipid membranes melt / membrane proteins are denatured	
	2. boiling increases permeability of membranes;	IGNORE reference to cell wall	
	3. vitamin C moves out of the cells ;		
İ	4. by diffusion;		(3)

Question Number	Answer	Additional Guidance	Mark
8(a)	1. the chance / probability (of an event);	IGNORE references to risk	
	2. in one {group / person} compared to another;		(2)

Question Number	Answer	Additional Guidance	Mark
8(b)	with less than 0.5 hours per week exercise, all three groups are at the same relative risk;		
	2. BMI < 25.0, the risk of diabetes decreases with more exercise / eq;		
	3. BMI 25.0 to 29.9, the risk decreases up to (2.0 to) 3.9 hours per week and then increases;	Can accept risk at first decreases and then increases	
	4. BMI greater than 30.0, the risk of diabetes decreases with more exercise / eq;	from 4.0 to 6.9	
	5. exercise has a greater effect on those with a BMI of < 25.0 (than on the other groups);		(3)

Question Number	Answer	Additional Guidance	Mark
8(c)	1. individuals should take regular / more exercise;		
	2. reduce energy intake ;	TCNORE references to food	
	3. reduce BMI to less than 25 ;	IGNORE references to food types	(3)

Question Number	Answer	Additional Guidance	Mark
8(d)	Any one from:		
	1. cheap;		
	2. efficient;		
	3. easy;		
	4. quick;		
	5. fewer staff needed;		
	6. idea that people are more likely to give an honest answer;		
	7. Allows a large sample size		(1)

Question Number	Answer	Additional Guidance	Mark
8(e)	1. study only included women ;		
	2. all participants in {health / nursing / same} profession;		
	3. all data collected by self-reporting;		(2)

Pearson Education Limited. Registered company number 872828 with its registered office at 80 Strand, London WC2R ORL