UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

GCE Advanced Subsidiary Level and GCE Advanced Level

MARK SCHEME for the October/November 2010 question paper

for the guidance of teachers

9700 BIOLOGY

9700/42 Paper 4 (A2 Structured Questions), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2010	9700	42

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same point
R	reject
Α	accept (for answers correctly cued by the question or guidance on the mark scheme)
AW	alternative wording (where responses may vary more than usual)
<u>underline</u>	actual word given must be used by the candidate (grammatical variants excepted)
max	indicates the maximum number of marks that can be given

ora or reverse argument

	Page 3		Mark Scheme: Teachers' version GCE AS/A LEVEL – October/November 2010	Syllabus 9700	Paper 42
			GCE AS/A LEVEL - October/November 2010	9700	42
1	(a)	1	mallard numbers have increased and the others have de	ecreased;	
		2	<i>decrease due to</i> pesticides / pollution / fertilisers ;		
		3	change in temperature or pH of water ;		
		4	lack of <u>named</u> food source ;		
		5	increased competition / AW;		
		6	direct human interference on lake ; e.g. fishing / sailing end of the sailing of the sailing of the sailing the s	ətc	
		7	<i>mallard increase due to</i> doesn't eat, insects / molluscs / fish ;		
		8	less other birds so less competition;		[4 max]
	(b)	1	cultural / aesthetic / leisure, reasons;		
		2	moral / ethical, reasons ; e.g. right to exist / prevent extir	nction	
		3	resource material ; e.g. wood for building / fibres for cloth humans	nes / food for	
		4	ecotourism;		
		5	economic benefits;		
		6	ref. resource / species, may have use in future / AW ; e.g	g. medical use	
		7	maintains, food webs / food chains ; A desc	cription	
		8	nutrient cycling / protection against erosion ;		
		9	climate stability;		
		10	maintains, large gene pool / genetic variation ;		
					[4 max]
					[Total: 8]

	Pa	ge 4		Mark Scheme: Teachers' version	Syllabus	Paper
		<u>g</u> .		GCE AS/A LEVEL – October/November 2010	9700	42
2	(a)	(i)	1	penicillin inhibits, enzyme / peptidase ;		
			2	blocks / alters shape of, active site ;		
			3	peptidoglycan chains cannot link up / stops cross-	links forming ;	
			4	cell wall weaker / AW;		
			5	turgor of cell not resisted (by cell wall) / AW $$;		
			6	cell / wall / bacterium, bursts ;		[3 max]
		(ii)	an	ny two from		
			1	viruses do not have cell wall;		
			2	viruses do not have cytoplasm ;		
			3	viruses do not have peptidoglycan;		
			4	viruses do not have peptidase ;		[2 max]
	(b)	1		nout antibiotic nbers of both wild-type and mutant strains, increase	/ hardly changes ;	
		2		n antibiotic nbers of both wild-type and mutant strains decrease	;	
		3	mut	ant strains decrease more than wild-type ; A fas	ter umes marking point 2	
		4	afte	r 24h, wild-type plateaus and mutant strain continues	s to decrease ;	
		5	blue red	comparative figures at any <u>one</u> time ; <i>ignore un</i> e with blue with red with blue – with antibiotic	its for bacteria	[4 max]

	- October/November 2010 9700	42
	cleotide, sequence ; A named change	
2 alters, triplet code / co	don ;	
3 enzyme has different,	primary structure / amino acid sequence;	
4 <u>enzyme</u> has different, 3	3D structure / tertiary structure / active site ;	[2 max]
(ii) red and blue with antibiot	ic	
 wild-type bacteria can or mutant bacteria pro 		
2 glucans bind with antik	piotic ;	
3 wild-type more resistant antibiotic ;	nt to antibiotic or mutant bacteria less resistant to	[2 max]
(d) 1 antibiotic, is selective ager	nt / provides selective pressure ;	
2 resistant bacteria, survive	/ reproduce ;	
3 pass <u>allele</u> for resistance to	o offspring ;	
4 frequency of <u>allele</u> in popu	lation increases ;	[3 max]
		[Total: 16]

	Pag	ge 6	Mark Scheme: Teachers' version Syllabus GCE AS/A LEVEL – October/November 2010 9700	Paper
			GCE AS/A LEVEL – October/November 2010 9700	42
3	(a)	1	to give <u>superovulation</u> ;	
		2	follicle <u>s</u> or oocyte <u>s</u> , mature or develop, at the <u>same time</u> ; <i>ignore grow</i>	
		3	to prepare uterus for implantation;	[2 max
	(b)	1	germinal epithelial cell divides by mitosis;	
		2	giving oogonia ;	
		3	primary oocyte divides by meiosis I (to give a secondary oocyte);	
		4	idea of diploid to haploid	[3 max]
	(c)	ens	vantage sure sperm enters oocyte / select (visibly) healthy sperm ;	
		unr	advantage needed parts of sperm enter producing unwanted effects	
		or	anat tall whathar a chasan sporm is gapatically suitable :	
		Cai	nnot tell whether a chosen sperm is genetically suitable ;	[2]
		Cai	not ten whether a chosen sperm is genetically suitable,	
L	(a)	1	binds to receptors (on liver cell membranes);	
1	(a)			
L	(a)	1	binds to receptors (on liver cell membranes);	
1	(a)	1 2	binds to receptors (on liver cell membranes) ; conversion of glucose to glycogen / glycogenesis ; (because) insulin activates enzyme ; e.g. glucokinase / phosphofructokinase /	
l	(a)	1 2 3	binds to receptors (on liver cell membranes) ; conversion of glucose to glycogen / glycogenesis ; (because) insulin activates enzyme ; e.g. glucokinase / phosphofructokinase / glycogen synthase	[Total: 7
ł	(a) (b)	1 2 3 4	<pre>binds to receptors (on liver cell membranes); conversion of glucose to glycogen / glycogenesis; (because) insulin activates enzyme; e.g. glucokinase / phosphofructokinase / glycogen synthase increased use of glucose in respiration; increased uptake of glucose / increased permeability to glucose (of liver</pre>	[Total: 7]
ŀ		1 2 3 4 5	<pre>binds to receptors (on liver cell membranes); conversion of glucose to glycogen / glycogenesis; (because) insulin activates enzyme; e.g. glucokinase / phosphofructokinase / glycogen synthase increased use of glucose in respiration; increased uptake of glucose / increased permeability to glucose (of liver cells);</pre>	[Total: 7]
1		1 2 3 4 5	 binds to receptors (on liver cell membranes); conversion of glucose to glycogen / glycogenesis; (because) insulin activates enzyme; e.g. glucokinase / phosphofructokinase / glycogen synthase increased use of glucose in respiration; increased uptake of glucose / increased permeability to glucose (of liver cells); 1 mRNA (found in β cells) is only from gene coding for insulin / AW; 	[2] [Total: 7] [3 max]

Pa	age 7		Mark Scheme: Teachers' version	Syllabus	Paper
			GCE AS/A LEVEL – October/November 2010	9700	42
	(ii)	1	cut plasmid (DNA) ;		
		2	at specific, base sequence / site ;		
		3	leaving sticky ends (that will join with insulin gene));	[2 max]
(c)	(i)		statements must be comparative haled (accept ora for injected) insulin concentration rises more rapidly when inha	aled ;	
		2	higher peak ;		
		3	falls, more rapidly / earlier ;		
		4	(after 150 mins) lower (than injected) ;		
		5	use of comparative figures ; figures for both a	at one time	[3 max]
	(ii)	1	glucose conc. is linked to insulin conc.;		
		inl 2	haled (accept ora for injected) (initially) glucose falls <u>because</u> insulin conc. rises <i>this subs</i>	; umes marking point 1	1
		3	glucose conc. falls lower <u>because</u> insulin conc. is this subs	higher ; umes marking point 1	1
		4	(later) glucose rises higher <u>because</u> insulin conc. <i>this subs</i>	is lower ; umes marking point 1	1
		5	use of figures ; e.g. one glucose conc. for inhaled and one for inj or one glucose conc. linked to an insulin conc.		
	<i></i>		(either inhaled or injected)		[3 max]
	(iii)	aa	lvantages:		
		1	faster response time ;		
		2	less chance of, infection / contamination ;		
		3	good for people with needle phobia;	max 1	
		dis	sadvantages :		
		4	could cause larger swings in blood glucose conce	entration;	
		5	may need to taken more often / not long lasting;		
		6	possible variability of dose / AW ;	max 1	[2 max]
					[Total:15]

	Page 8		Mark Scheme: Teachers' version Syllabus	Paper
	-	J	GCE AS/A LEVEL – October/November 2010 9700	42
5	(a)	1	oxygen availability low (when soil is flooded);	
		2	plants carry out anaerobic respiration ;	
		3	ethanol produced;	
		4	roots can continue to respire ;	[2 max]
	(b)	(i)	(store of) nutrients; A named nutrient <i>ignore food / water / fibre</i>	
			for, germination / growth of embryo;	[2]
		(ii)	protein in aleurone layer ;	
			which is removed in white rice ; ora	[2]
		(iii)	endosperm makes up a greater proportion of the total mass in white rice ; or	
			brown rice has more, lipid / fibre / protein, than white rice so less carbohydrates per gram ;	[1 max]
		(iv)	1 cheap source of food ;	
			2 high, energy value / fibre content ;	
			3 high in carbohydrate ;	
			4 contain wide range of nutrients or three named nutrients ;	
			5 cereal grains store well ;	
			6 because they contain very little water ;	[2 max]
				[Total: 9]
6	(a)	var	riation / different form, of a gene ;	[1]
	(b)	ma Hbʻ	arks for reasons only ^A Hb ^A	
			v – susceptible to / die from, malaria ;	
			 ^A Hb^S h – no (full blown) SCA / have SC trait ; not, susceptible to / likely to die from, malaria ; 	
			^s Hb ^s v – susceptible to / die from, SCA ;	[4]

	Page 9		Mark Scheme: Teachers' version Syllabus P	Paper
	. u;	900	GCE AS/A LEVEL – October/November 2010 9700	42
	(c)	1	USA malaria not selection pressure ;	
		2	Hb ^s no advantage ;	
		3	due to outbreeding;	
		4	genetic testing can lead to termination of pregnancy or testing / counselling, leads to not having children ;	[2 max]
			ר]	Total: 7]
7	(a)	1	apical bud is source of auxin ;	
		2 auxin inhibits growth of side shoot ;		
		3 remove bud and auxin conc falls ;		
		4	this allows <u>cell</u> , division / elongation, to take place (in side shoots) ;	[3 max]
	(b)	267	·	
		acc	ept suitable working for one mark e.g. $\frac{110 - 30}{30}$ (× 100)	
		or acc	ept 266.7 for one mark	[2]
	(c)	D1	<i>days 2 to 8</i> no increase in length with paste plus auxin (compared to control) ;	
		E2	auxin moves from paste into plants;	
		E3	inhibits growth ;	
		D4	<i>days 8 to 13</i> increase in length occurs (with paste and auxin) ;	
		E5	less auxin left ;	
		D6	supportive figs ; e.g. two blue points on two days plus units or one red and one blue point on same day plus units	
			must have at least one D (description) and one E (explanation) to score 3	[0] I
			marks	[3 max]
			L	Total: 8]

	Paç	je 10		Paper	
			GCE AS/A LEVEL – October/November 2010 9700	42	
8	(a)	1 2	absorb light; A harvest light / trap light R collect light pass <u>energy</u> to, primary pigment / chlorophyll / reaction centre;	[2 max]	
	(b)	1	<i>cyclic photophosphorylation</i> electron emitted returns to, PSI / same photosystem or same chlorophyll molecule ;		
		non-cyclic photophosphorylation2 electron emitted from PSII absorbed by PSI ;			
		3	reduced NADP produced ;		
		4	photolysis occurs; A splitting of water		
		5	(photolysis) only involves PSII ;		
		6	oxygen produced 3 max		
			accept ora for cyclic for marking points 3, 4 and 6		
			mark to max 3 if cyclic and non-cyclic are described the wrong way round	[4 max]	
	(c)	(i)	some other factor becomes limiting / temperature no longer limiting;		
			CO ₂ / light intensity ;	[2]	
		(ii)	line falls towards 70°C ;	[1]	
		(iii)	<i>rate of photosynthesis falls</i> enzyme / rubisco, denatured / AW ;		
			substrates not able to fit active site / AW;	[2]	

(d)	adaptation	how the adaptation helps photosynthesis		
	thin cell wall	greater light penetration / short diffusion distance (for gases) ;		
	cylindrical shape	air spaces ;		
	large vacuole	chloroplasts near outside of cell for better light absorption / maintains turgor ;		
	chloroplasts can be moved within the cell	absorb maximum light / avoid excessive light intensities;		

[Total: 15]

[4]

Page 11	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2010	9700	42

9 (a) do not credit marking points out of sequence prophase 1

- 1 idea of condensation of chromosomes;
- 2 homologous chromosomes pair up / bivalent formed ;

metaphase 1

- 3 homologous chromosomes / bivalents, line up on equator;
- 4 of spindle ;
- 5 by centromeres ;
- 6 independent assortment / described;
- 7 chiasmata / described ;
- 8 crossing over / described ;

anaphase 1

- 9 chromosomes move to poles;
- 10 homologous chromosomes / bivalents, separate ;
- 11 pulled by microtubules ;
- 12 reduction division;

metaphase 2

- 13 chromosomes line up on equator;
- 14 of spindle;

anaphase 2

- 15 centromeres divide ;
- 16 <u>chromatids</u> move to poles;
- 17 pulled by microtubules ;
- 18 ref. haploid number ;

allow 4 **or** 14 allow 11 **or** 17

[9 max]

Paper	Syllabus	Mark Scheme: Teachers' version	je 12	Pag
42	9700	GCE AS/A LEVEL – October/November 2010		
		change in, base / nucleotide, sequence (in DNA);	19	(b)
		during DNA replication;	20	
	etion	detail of change ; e.g. base, substitution / addition / del	21	
		frame shifts / AW;	22	
		different / new, <u>allele</u> ;	23	
		random / spontaneous ;	24	
		mutagens;	25	
		ionising radiation;	26	
[6 max]		UV radiation / mustard gas ;	27	
[Total: 15]				
		ATP as universal energy currency;	1	(a)
		light energy needed for photosynthesis;	2	
		ATP used conversion of GP to TP;	3	
		ATP used to regenerate RuBP;	4	
		(energy needed for) anabolic reactions;	5	
	on;	protein synthesis / starch formation / triglyceride format	6	
		activation energy;	7	
		(activate) glucose in glycolysis;	8	
		active transport;	9	
		example ; e.g. sodium / potassium pump	10	
		movement / locomotion ;	11	
		example ; e.g. muscle contraction / cilia beating	12	
		endocytosis / exocytosis / pinocytosis / bulk transport;	13	
		temperature regulation ;	14	

Page 13		Mark Scheme: Teachers' version	Syllabus	Paper			
		GCE AS/A LEVEL – October/November 2010	9700	42			
(b)	15	5 idea of lipid > protein > carbohydrate / AW ; A lipid has more energy than either protein or carbohydrate					
	16	comparative figures; e.g. 39.4, 17.0 and 15.8	ccept any two				
	17	kJ g ¹ / per unit mass ;					
	18	more hydrogen atoms in molecule, more energy;					
	19	lipid have more, hydrogen atoms / C-H bonds;					
	20	(most) energy comes from oxidation of hydrogen to wa	ater ;				
	21	using reduced, NAD / FAD ;					
	22	in ETC ;					

- 23 detail of ETC ;
- 24 ATP production

[6 max]

[Total: 15]