

Centre Number						Candidate Number				
Surname										
Other Names										
Candidate Signature										

For Examiner's Use	
Examiner's Initials	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
TOTAL	



General Certificate of Education  
Advanced Subsidiary Examination  
January 2012

## Physics A

## PHYA1

### Unit 1 Particles, Quantum Phenomena and Electricity

Thursday 12 January 2012 1.30 pm to 2.45 pm

**For this paper you must have:**

- a pencil and a ruler
- a calculator
- a Data and Formulae Booklet (enclosed).

**Time allowed**

- 1 hour 15 minutes

**Instructions**

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- Show all your working.

**Information**

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 70.
- You are expected to use a calculator where appropriate.
- A *Data and Formulae Booklet* is provided as a loose insert.
- You will be marked on your ability to:
  - use good English
  - organise information clearly
  - use specialist vocabulary where appropriate.



J A N 1 2 P H Y A 1 0 1

WMP/Jan12/PHYA1

# PHYA1

Answer **all** questions in the spaces provided.

**1 (a)** The table gives information about some fundamental particles.

Complete the table by filling in the missing information.

particle	quark structure	charge	strangeness	baryon number
	uud		0	
Sigma <sup>+</sup>	uus	+ 1		
	$\bar{u}\bar{d}$		0	0

(7 marks)

**1 (b)** Each of the particles in the table has an antiparticle.

**1 (b) (i)** Give **one** example of a baryon particle **and** its corresponding antiparticle.

particle .....

antiparticle .....

(1 mark)

**1 (b) (ii)** State the quark structure of an antibaryon.

.....

(1 mark)

**1 (b) (iii)** Give **one** property of an antiparticle that is the same for its corresponding particle and **one** property that is different.

Same .....

.....

Different .....

.....

(2 marks)



**2 (a)** State what is meant by the specific charge of a nucleus and give an appropriate unit for this quantity.

.....  
.....  
.....  
.....

unit: .....  
(2 marks)

**2 (b)** Nucleus X has the same nucleon number as nucleus Y. The specific charge of X is 1.25 times greater than that of Y.

**2 (b) (i)** Explain, in terms of protons and neutrons, why the specific charge of X is greater than that of Y.

.....  
.....  
.....  
.....

(2 marks)

**2 (b) (ii)** Nucleus X is  $^{10}_5\text{B}$ . Deduce the number of protons and the number of neutrons in nucleus Y.

number of protons .....

number of neutrons .....

(4 marks)

8

Turn over ►



3 (a) Pair production can occur when a photon interacts with matter. Explain the process of pair production.

.....  
.....  
.....  
.....

(2 marks)

3 (b) Explain why pair production cannot take place if the frequency of the photon is below a certain value.

.....  
.....  
.....  
.....  
.....  
.....

(3 marks)

3 (c) Energy and momentum are conserved during pair production. State **two** other quantities that must also be conserved.

.....  
.....

(2 marks)

<b>7</b>



**4 (a)** When free electrons collide with atoms in their *ground state*, the atoms can be excited or ionised.

**4 (a) (i)** State what is meant by ground state.

.....  
.....  
.....

(1 mark)

**4 (a) (ii)** Explain the difference between excitation and ionisation.

.....  
.....  
.....  
.....  
.....  
.....  
.....

(3 marks)

**4 (b)** An atom can also become excited by the absorption of photons. Explain why only photons of certain frequencies cause excitation in a particular atom.

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

(4 marks)

**Question 4 continues on the next page**

**Turn over ►**



- 4 (c)** The ionisation energy of hydrogen is 13.6 eV. Calculate the minimum frequency necessary for a photon to cause the ionisation of a hydrogen atom. Give your answer to an appropriate number of significant figures.

answer .....Hz  
(4 marks)

12
----

- 5 (a)** A student is given a piece of metal wire and asked to investigate how the resistance of the wire changes between a temperature of 0 °C and 100 °C.
- 5 (a) (i)** Draw a labelled diagram of a suitable arrangement that would enable the student to carry out the experiment.

(3 marks)





5 (b) A certain metal has a *critical temperature* of  $-268^{\circ}\text{C}$  (5 K). Explain what is meant by critical temperature.

.....

.....

.....

.....

(2 marks)

11

6 X and Y are two lamps. X is rated at 12 V 36 W and Y at 4.5 V 2.0 W.

6 (a) Calculate the current in each lamp when it is operated at its correct working voltage.


X ..... A

Y ..... A

(2 marks)

6 (b) The two lamps are connected in the circuit shown in **Figure 1**. The battery has an emf of 24 V and negligible internal resistance. The resistors,  $R_1$  and  $R_2$  are chosen so that the lamps are operating at their correct working voltage.

**Figure 1**





**6 (b) (i)** Calculate the pd across  $R_1$ .

answer ..... V  
(1 mark)

**6 (b) (ii)** Calculate the current in  $R_1$ .

answer ..... A  
(1 mark)

**6 (b) (iii)** Calculate the resistance of  $R_1$ .

answer .....  $\Omega$   
(1 mark)

**6 (b) (iv)** Calculate the pd across  $R_2$ .

answer ..... V  
(1 mark)

**6 (b) (v)** Calculate the resistance of  $R_2$ .

answer .....  $\Omega$   
(1 mark)

**Question 6 continues on the next page**

**Turn over ►**



**6 (c)** The filament of the lamp in **X** breaks and the lamp no longer conducts. It is observed that the voltmeter reading decreases and lamp **Y** glows more brightly.

**6 (c) (i)** Explain without calculation why the voltmeter reading decreases.

.....

.....

.....

(2 marks)

**6 (c) (ii)** Explain without calculation why the lamp **Y** glows more brightly.

.....

.....


.....

(2 marks)

11

**7** A battery of emf 9.0 V and internal resistance,  $r$ , is connected in the circuit shown in **Figure 2**.

**Figure 2**



7 (a) The current in the battery is 1.0 A.

7 (a) (i) Calculate the pd between points **A** and **B** in the circuit.

answer = ..... V  
(2 marks)

7 (a) (ii) Calculate the internal resistance,  $r$ .

answer = .....  $\Omega$   
(2 marks)

7 (a) (iii) Calculate the **total** energy transformed by the battery in 5.0 minutes.

answer = ..... J  
(2 marks)

7 (a) (iv) Calculate the percentage of the energy calculated in part (iii) that is dissipated in the battery in 5.0 minutes.

answer ..... %  
(2 marks)

**Question 7 continues on the next page**

**Turn over ►**



7 (b) State and explain **one** reason why it is an advantage for a rechargeable battery to have a low internal resistance.

.....

.....

.....

.....

(2 marks)

10

**END OF QUESTIONS**

