

Mark Scheme (Results)

Summer 2012

GCE Chemistry (6CH07) Paper 01 Chemistry Laboratory Skills (WA)

### **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at <a href="https://www.edexcel.com">www.edexcel.com</a>

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

### Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: <a href="https://www.pearson.com/uk">www.pearson.com/uk</a>

Summer 2012 Publications Code US031870

All the material in this publication is copyright © Pearson Education Ltd 2012

# **General Marking Guidance**

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- Mark schemes will indicate within the table where, and which strands
  of QWC, are being assessed. Questions labelled with an asterix (\*)
  are ones where the quality of your written communication will be
  assessed.

## Using the Mark Scheme

Examiners should look for qualities to reward rather than faults to penalise. This does NOT mean giving credit for incorrect or inadequate answers, but it does mean allowing candidates to be rewarded for answers showing correct application of principles and knowledge. Examiners should therefore read carefully and consider every response: even if it is not what is expected it may be worthy of credit.

The mark scheme gives examiners:

- an idea of the types of response expected
- how individual marks are to be awarded
- the total mark for each question
- examples of responses that should NOT receive credit.

/ means that the responses are alternatives and either answer should receive full credit.

( ) means that a phrase/word is not essential for the award of the mark, but helps the examiner to get the sense of the expected answer.

Phrases/words in **bold** indicate that the <u>meaning</u> of the phrase or the actual word is **essential** to the answer.

ecf/TE/cq (error carried forward) means that a wrong answer given in an earlier part of a question is used correctly in answer to a later part of the same question.

Candidates must make their meaning clear to the examiner to gain the mark. Make sure that the answer makes sense. Do not give credit for correct words/phrases which are put together in a meaningless manner. Answers must be in the correct context.

### **Quality of Written Communication**

Questions which involve the writing of continuous prose will expect candidates to:

- write legibly, with accurate use of spelling, grammar and punctuation in order to make the meaning clear
- select and use a form and style of writing appropriate to purpose and to complex subject matter
- organise information clearly and coherently, using specialist vocabulary when appropriate.

Full marks will be awarded if the candidate has demonstrated the above abilities.

Questions where QWC is likely to be particularly important are indicated (QWC) in the mark scheme, but this does not preclude others.

Question Number	Correct Answer		Reject	Mark
1(a)				3
	Name of solution	Letter		
	Sodium chloride solution	С		
	Potassium iodide solution	В		
	Dilute hydrochloric acid	D		
	Dilute nitric acid	Α		
	All four letters correct Two/three letters corre One letter correct = 1	_		

Question Number	Correct Answer	Reject	Mark
1(b)	Hydrochloric acid gives effervescence/fizzing/gas /CO <sub>2</sub>	Incorrect gas	1
	OR		
	sodium chloride gives no effervescence/fizzing/gas /CO <sub>2</sub> /no reaction	Incorrect gas	

O	Connect Anomar	Deleat	Monte
Question	Correct Answer	Reject	Mark
Number			
1(c)	$Ag^+(aq) + I^-(aq) \rightarrow AgI(s)$		2
	species (1)		
	ALLOW Ag <sup>+</sup> I <sup>-</sup>		
	state symbols (1)		
	This mark is only available if the		
	equation is correct OR is correctly		
	balanced with only the ion charge(s)		
	incorrect.		
	ALLOW		
	Non-ionic equation with correct state		
	symbols (1)		
	Equations including spectator ions		
	with correct state symbols (1)		
	$Ag^{+}(aq) + Cl^{-}(aq) \rightarrow AgCl(s)$ (1)		

Question	Correct Answer	Reject	Mark
Number			
1(d)	(The white precipitate) dissolves/		1
	disappears		
	OR	Just "clear" instead	
	a colourless solution is formed	of "colourless"	

Question Number	Correct Answer	Reject	Mark
2(a)	( <b>The metal ion is</b> ) barium/Ba <sup>2+</sup> (1)	Just "Ba" Ba <sup>+</sup>	4
	(The precipitate is) barium sulfate/ BaSO <sub>4</sub> (1) ALLOW barium sulphate		
	(The gas is) nitrogen dioxide/NO <sub>2</sub> (1) ALLOW dinitrogen tetroxide/N <sub>2</sub> O <sub>4</sub>		
	(The gas which relights the glowing splint is) Oxygen/O <sub>2</sub> (1)		
	<b>Note:</b> If both name and formulae are given both must be correct		
	Mark the four parts independently		

Question Number	Correct Answer	Reject	Mark
2(b)	Ba(NO <sub>3</sub> ) <sub>2</sub>		1
	ALLOW Ba( $NO_3$ ) <sub>2</sub> .xH <sub>2</sub> O where x is a number between 1 and 10 e.g. Ba( $NO_3$ ) <sub>2</sub> .2H <sub>2</sub> O		

Question Number	Correct Answer		Reject	Mark
2(c)	2Ba(NO <sub>3</sub> ) <sub>2</sub> → 2BaO + 4NO <sub>2</sub> + O <sub>2</sub> Fully correct equation Formulae of all three products correct ALLOW multiples	(2) (1)		2
	ALLOW $4BaNO_3 \rightarrow 2Ba_2O + 4NO_2 + O_2$	(1)		

Question	Correct Answer		Reject	Mark
Number				
3(a)(i)	(From) orange	(1)	Two colours	2
	(To) green/blue/brown	(1)	e.g. "blue/green"	
			"blue-green"	

Question Number	Correct Answer		Reject	Mark
3(a)(ii)	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> OH CH <sub>3</sub> CH(CH <sub>3</sub> )CH <sub>2</sub> OH/ (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> OH In either order Formulae may also be displayed or ske	(1) (1) eletal	C <sub>4</sub> H <sub>9</sub> OH Displayed formula with C-H-O OR C-HO	2

Question Number	Correct Answer	Reject	Mark
3(b)	(CH <sub>3</sub> ) <sub>3</sub> COH ALLOW CH <sub>3</sub> COH(CH <sub>3</sub> )CH <sub>3</sub> Formula may also be displayed or skeletal ALLOW CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> OCH <sub>3</sub> CH <sub>3</sub> CH(CH <sub>3</sub> )OCH <sub>3</sub> CH <sub>3</sub> CH <sub>2</sub> OCH <sub>2</sub> CH <sub>3</sub>	Displayed formula with C-H-O OR C-HO	1

Question	Correct Answer	Reject	Mark
Number			
3(c)(i)	(From) red-brown/ orange/yellow/brown		2
	(1)	Just "clear"	
	ALLOW Any combination of these colours		
	(To) colourless (1)		

Question Number	Correct Answer	Reject	Mark
3(c)(ii)	H H H H H		1
	ALLOW Addition of –Br and –OH across the double bond, in either order		
	OR    H		
	ALLOW Correct structural or skeletal formula		

Question	Correct Answer	Reject	Mark
Number			
3(c)(iii)	steamy fumes/misty fumes/white	Any mention of	1
	fumes/cloudy fumes	"smoke",	
	IGNORE dense	"solid" or	
		"precipitate"	

Question Number	Correct Answer	Reject	Mark
3(c)(iv)	H H H H H H H H H H H H H H H H H H H		1

Question Number	Correct Answer		Reject	Mark
3(c)(v)	Alkene ALLOW carbon-carbon double bond	(1)	Ethene, alkyl	2
	Alcohol/primary alcohol/hydroxy/hydroxyl/alkanol In either order	(1)	hydroxide	

Question Number	Correct Answer	Reject	Mark
4(a)(i)	(25.0 x 4.18 x 10.0 =) 1045/1050/1000 (J) ALLOW 1.045/1.05/1.0 <b>kJ</b> IGNORE signs IGNORE sf except 1		1

Question Number	Correct Answer	Reject	Mark
4(a)(ii)	$\left(\frac{3.48}{100}\right) = 0.0348/0.035 \text{ (mol)}$		1
	IGNORE sf except 1		

Question Number	Correct Answer	Reject	Mark
4(a)(iii)	$ \frac{\text{Answer to (a)(i) in kJ}}{\text{Answer to (a)(ii)}} = \frac{1.045}{0.0348} $	1.0/0.035=29	2
	$= +30.03/30.0/30 \text{ (kJ mol}^{-1})$		
	ALLOW any answer which rounds to 30 to 2 sf.		
	Mark CQ on (a)(i) and (ii) which should be checked. Value must round to the correct answer to 2 sf.		
	Sign (1) value (1)		
	Mark independently		

Question Number	Correct Answer		Reject	Mark
4(b)(i)	Decrease (in temperature) for kand an increase (in temperatu K <sub>2</sub> CO <sub>3</sub> OR Endothermic for KHCO <sub>3</sub> and		Just Temperature change different	1
	exothermic for K <sub>2</sub> CO <sub>3</sub>	(1)		

Question Number	Correct Answer	Reject	Mark
4(b)(ii)	No heat lost/no heat gained/ reaction is complete/ specific heat capacity of the solution is the same as water/molar mass of KHCO <sub>3</sub> is 100 (not 100.1)/density of solution is 1.00 gcm <sup>-3</sup>	Thermometer is accurate	1

Question Number	Correct Answer	Reject	Mark
4(c)(i)	$(\Delta H_r =) 2 \times \Delta H_1 - \Delta H_2$		1

Question Number	Correct Answer	Reject	Mark
4(c)(ii)	$(\Delta H_r = (2 \times +30) - (-34) = )$ + 94 (kJ mol <sup>-1</sup> )  value (1) sign (1) The sign mark is only available if the value is correct or almost correct.  ALLOW $(\Delta H_r = (+30) - (-34) = )$		2
	= +64 (kJ mol <sup>-1</sup> ) (1)  IGNORE sf except 1		

Question Number	Correct Answer		Reject	Mark	
5(a)(i)					1
	(Mass of contents after heating / g)	2.49			

Question	Correct Answer		Reject	Mark	
Number					
5(a)(ii)					1
	(Mass of water				
	removed / g)	0.98			

Question Number	Correct Answer	Reject	Mark
5(b)(i)	$ \begin{pmatrix} 0.98 \\ 18.0 \end{pmatrix} = 0.0544 / 0.054/ \\ 5.44 \times 10^{-2} / 5.4 \times 10^{-2} \text{ (mol)} $ IGNORE sig figs except ONE sf CQ on mass of water removed		1

Question Number	Correct Answer	Reject	Mark
5(b)(ii)	$\left(\frac{2.49}{102.9}\right) = 0.0242 / 0.024/$ 2.42 x 10 <sup>-2</sup> /2.4 x 10 <sup>-2</sup> (mol)		2
	NaBr molar mass = $102.9/23.0+79.9 \text{ (g mol}^{-1})$ ALLOW 103 instead of 102.9 (1)		
	answer (1) CQ on molar mass		
	IGNORE sig figs except ONE sf CQ on mass of contents after heating		

Question Number	Correct Answer	Reject	Mark
5(b)(iii)	(x = 0.0544/0.0242 = 2.2499) $\mathbf{x} = 2.2 \text{ to } 2 \text{ sf}$		2
	ALLOW 2.3 answer (1) two sig figs (1)		
	ALLOW 2.1,2.4,2.5 (1) ALLOW Either numerator 0.054 or denominator 0.024 and answer		
	correct to 2 sf (1)		

Question Number	Correct Answer	Reject	Mark
5(c)			2
	Ignore sf		
	doubling the maximum error (answer (	(1) (1)	
	NOTE		

Question Number	Correct Answer		Reject	Mark
5(d)(i)	(Apparent mass of water removed) decreases/less (Value of x) decreases/less (than 2)	(1) (1)		2
	Mark independently			

Question Number	Correct Answer		Reject	Mark
5(d)(ii)	(Apparent mass of water removed) increases/more	(1)		2
	(Value of x) increases/ more (than 2)	(1)		
	Mark independently			

Question Number	Correct Answer	Reject	Mark
5(e)	Any two improvements from		2
	<ul> <li>use a lid on the crucible</li> <li>heat to constant mass</li> <li>heat with a gentle/blue flame</li> <li>use a larger mass of crystals</li> <li>cool in a dry atmosphere</li> <li>repeat experiment</li> <li>electrical heating</li> </ul> IGNORE "use a more accurate	Heat loss	

**TOTAL FOR PAPER: 50 MARKS** 

Further copies of this publication are available from Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467 Fax 01623 450481

Email <u>publication.orders@edexcel.com</u>
Order Code xxxxxxxx Summer 2012

For more information on Edexcel qualifications, please visit our website <a href="https://www.edexcel.com">www.edexcel.com</a>

Pearson Education Limited. Registered company number 872828 with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE





