



**ADVANCED SUBSIDIARY GCE
MATHEMATICS**

4721/01

Core Mathematics 1

THURSDAY 15 MAY 2008

Morning
Time: 1 hour 30 minutes

Additional materials: Answer Booklet (8 pages)
List of Formulae (MF1)

INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the spaces provided on the answer booklet.
- Read each question carefully and make sure you know what you have to do before starting your answer.
- Answer **all** the questions.
- Give non-exact numerical answers correct to 3 significant figures unless a different degree of accuracy is specified in the question or is clearly appropriate.
- **You are not permitted to use a calculator in this paper.**

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is 72.
- **You are reminded of the need for clear presentation in your answers.**



WARNING

**You are not allowed to use
a calculator in this paper.**

This document consists of 4 printed pages.

2

- 1 Express each of the following in the form 4^n :
- (i) $\frac{1}{16}$, [1]
 - (ii) 64, [1]
 - (iii) 8. [2]
- 2 (i) The curve $y = x^2$ is translated 2 units in the positive x -direction. Find the equation of the curve after it has been translated. [2]
- (ii) The curve $y = x^3 - 4$ is reflected in the x -axis. Find the equation of the curve after it has been reflected. [1]
- 3 Express each of the following in the form $k\sqrt{2}$, where k is an integer:
- (i) $\sqrt{200}$, [1]
 - (ii) $\frac{12}{\sqrt{2}}$, [1]
 - (iii) $5\sqrt{8} - 3\sqrt{2}$. [2]
- 4 Solve the equation $2x - 7x^{\frac{1}{2}} + 3 = 0$. [5]
- 5 Find the gradient of the curve $y = 8\sqrt{x} + x$ at the point whose x -coordinate is 9. [5]
- 6 (i) Expand and simplify $(x - 5)(x + 2)(x + 5)$. [3]
- (ii) Sketch the curve $y = (x - 5)(x + 2)(x + 5)$, giving the coordinates of the points where the curve crosses the axes. [3]
- 7 Solve the inequalities
- (i) $8 < 3x - 2 < 11$, [3]
 - (ii) $y^2 + 2y \geq 0$. [4]
- 8 The curve $y = x^3 - kx^2 + x - 3$ has two stationary points.
- (i) Find $\frac{dy}{dx}$. [2]
 - (ii) Given that there is a stationary point when $x = 1$, find the value of k . [3]
 - (iii) Determine whether this stationary point is a minimum or maximum point. [2]
 - (iv) Find the x -coordinate of the other stationary point. [3]

3

- 9 (i) Find the equation of the circle with radius 10 and centre (2, 1), giving your answer in the form $x^2 + y^2 + ax + by + c = 0$. [3]
- (ii) The circle passes through the point (5, k) where $k > 0$. Find the value of k in the form $p + \sqrt{q}$. [3]
- (iii) Determine, showing all working, whether the point (−3, 9) lies inside or outside the circle. [3]
- (iv) Find an equation of the tangent to the circle at the point (8, 9). [5]
- 10 (i) Express $2x^2 - 6x + 11$ in the form $p(x + q)^2 + r$. [4]
- (ii) State the coordinates of the vertex of the curve $y = 2x^2 - 6x + 11$. [2]
- (iii) Calculate the discriminant of $2x^2 - 6x + 11$. [2]
- (iv) State the number of real roots of the equation $2x^2 - 6x + 11 = 0$. [1]
- (v) Find the coordinates of the points of intersection of the curve $y = 2x^2 - 6x + 11$ and the line $7x + y = 14$. [5]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (OCR) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

OCR is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.