

GCE

Physics A

Advanced GCE

Unit G484: The Newtonian World

Mark Scheme for January 2012

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, OCR Nationals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2012

Any enquiries about publications should be addressed to:

OCR Publications PO Box 5050 Annesley NOTTINGHAM NG15 0DL

Telephone: 0870 770 6622 Facsimile: 01223 552610

E-mail: publications@ocr.org.uk

Annotations

Annotation	Meaning
100	Benefit of doubt given
CON	Contradiction
×	Incorrect response
THE	Error carried forward
Text (Follow through
TATAL	Not answered question
NEW CO.	Benefit of doubt not given
POT	Power of 10 error
^	Omission mark
RI-	Rounding error
	Error in number of significant figures
~	Correct response
TAE	Arithmetic error
?	Wrong physics or equation

Annotation	Meaning
1	alternative and acceptable answers for the same marking point
(1)	Separates marking points
reject	Answers which are not worthy of credit
not	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
	Underlined words must be present in answer to score a mark
ecf	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

The use of ticks to indicate where marks are awarded is strongly advised in all questions but the following questions **must always** be annotated with ticks. Q3(a)(i), Q4(a), Q5(a)(iii), Q5(a)(iii)

CATEGORISATION OF MARKS

The marking schemes categorise marks on the MACB scheme.

B marks: These are awarded as <u>independent</u> marks, which do not depend on other marks. For a **B**-mark to be scored, the point to which it refers must be

seen specifically in the candidate's answers.

M marks: These are method marks upon which A-marks (accuracy marks) later depend. For an M-mark to be scored, the point to which it refers must be

seen in the candidate's answers. If a candidate fails to score a particular M-mark, then none of the dependent A-marks can be scored.

C marks: These are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate,

providing subsequent working gives evidence that they must have known it. For example, if an equation carries a C-mark and the candidate does

not write down the actual equation but does correct working which shows the candidate knew the equation, then the C-mark is given.

A marks: These are accuracy or answer marks, which either depend on an M-mark, or allow a C-mark to be scored.

Note about significant figures:

If the data given in a question is to 2 sf, then allow answers to 2 or more significant figures.

(Significant figures are rigorously assessed in the practical skills.)

Question		on	Answer	Marks	Guidance
1	(a)	(i)	(linear momentum =) mass x <u>velocity</u>	B1	Allow : momentum = $m v$ where m is $\underline{\text{mass}}$ and v is $\underline{\text{velocity}}$
					Not: mass x speed
		(ii)	Any two from: momentum / vector has magnitude and direction velocity is a vector A product of a scalar and vector is a vector	B1 x 2	
	(b)	(i)1	$a = \Delta v / \Delta t = 7.5 / 0.28$		
			27 (2)		Ignore sign
			$a = 27 \text{ (m s}^{-2})$	A1	
		2	F = ma		Possible ecf from b(i) for acceleration
			$F = 850 \times 27$	C1	
			$= 2.3 \times 10^4 \text{ (N)}$	A1	
		(ii)	$E = \frac{1}{2}mv^2$		
			$0.45 \times 10^6 = \frac{1}{2} \times 850 \times v^2$	C1	Mark is for correct substitution
			$V = \sqrt{(2 \times 0.45 \times 10^6 / 850)}$		
			$v = 33 \text{ (m s}^{-1})$	A1	Note: Possible POT error
	(c)		$m_1 u = (m_1 + m_2)v$		
			850 x 7.5 = (850 + 1200) <i>v</i>	C1	Mark is for correct substitution
			$v = 850 \times 7.5 / 2050$		
			$v = 3.1 \text{ (m s}^{-1}\text{)}$	A1	
			Total	10	

Question		on	Answer	Marks	Guidance
2	(a)	(i)	amplitude = 0.4(0) (m) and period = 5.(0) (s)	B1	Note: Both values are required.
					Allow 1 sf values
		(ii)	$\omega = (2\pi \ f) = 2\pi \ / \tau$		Possible ecf from a(i) for period
			$\omega = 2\pi / 5.0 = (2\pi \times 0.2)$	C1	Mark is for correct substitution
			$\omega = 1.3 \text{ (rad s}^{-1})$	A1	
	(b)	(i)	V clearly marked at any point where graph crosses time axis	B1	
		(ii)	A clearly marked at any point where graph crosses time axis	B1	
		(iii)	P clearly marked at any point where graph crosses time axis	B1	
	(c)	(i)	Selecting from data sheet $a = -(2\pi f)^2 x$	C1	Allow: $a = (-) \omega^2 x$
					Note: Ignore sign of a
			$a_{\text{max}} = (-)(2\pi \times 2.4 \times 10^{3})^{2} \times 1.8 \times 10^{-3}$	C1	
			$a_{\text{max}} = 4.1 \text{ x } 10^5 \text{ (m s}^{-2})$	A1	Allow : 2 marks for 4.1 x 10 ⁿ , n ≠ 5 [POT error]
		(ii)	Work done = mean force x distance moved		
			For ¼ oscillation distance moved = 1.8 mm,		
			Work done = $0.25 \times 1.8 \times 10^{-3} (= 4.5 \times 10^{-4} \text{ J})$	C1	
			Time taken $\Delta t = \frac{1}{4} \text{ T} = \frac{1}{4} (\frac{1}{2.4 \times 10^3}) = 1.04 \times 10^{-4}$	C1	
			Power = work done / Δt = 0.25 x 1.8 x 10 ⁻³ / 1.04 x 10 ⁻⁴ = 4.3 W		Allow: other correct values of distance moved and compatible time taken. Eg 7.2 (mm) and 4.17 x 10 ⁻⁴ (s) for 1 complete oscillation
			Power = 4.3 (W)	A1	
			Total	12	

C	Question		Answer	Marks	Guidance
3	(a)	(i)	geostationary or synchronous The term geostationary or synchronous to be included and spelled correctly to gain the B1 mark	B1	Must use tick or cross on Scoris to show if the mark is awarded
		(ii)	So that they stay: above the same point (at all times) at same point in the sky	B1	Allow: travel at same (angular) speed / period and same direction as the Earth
		(iii)	<u>Dish</u> can be fixed to point in one (specific) direction/ <u>Dish</u> does not have to track the satellite (across the sky)	B1	Allow: Receiver / aerial for dish
		(iv)	Select from data sheet $T^2 = (4\pi^2/GM)r^3$ $r^3 = T^2 (GM/4\pi^2)$	C1	Allow : Full credit if candidate assumes $r = 4 \times 10^7$ and shows T is approx 1 day.
			$r^3 = (8.64 \times 10^4)^2 (6.67 \times 10^{-11} \times 6.0 \times 10^{24} / 4\pi^2)$ any subject $(=7.56 \times 10^{22})$	C1	1 day = $8.64 \times 10^4 \text{ s}$ G = $6.67 \times 10^{-11} \text{ N m}^2 \text{ kg}^{-2}$
			$r = 4.2 \times 10^7$ (m)	A1	3
			$r \approx 4 \times 10^7$ (m)	A0	Mark for radius can only be awarded if suitable working is shown
	(b)	(i)	The cube of the planets distance (from the Sun) divided by the square of the (orbital) period is the same (for all planets) (WTTE)	B1	Allow : radius for distance., Allow : $T^2 \propto r^3$ or $r^3/T^2 = \text{constant}$ provided T and r are identified
		(ii)	$ratio^3 = \left(\frac{27.3}{1}\right)^2$	C1	Allow: 1 mark for correct value of distance of Moon from Earth's centre 3.8 x 10 ⁸ (m)
			ratio = $(27.3)^{2/3}$		7
			ratio = 9.1	A1	Note : Full credit for 4 x 10 ⁷ (m) used from (a)(iv)
			Total	9	

C	uestic	on	Answer	Marks	Guidance
4	(a)		latent heat of fusion	B1	Allow: Specific latent heat of fusion
					Allow: (Specific) latent energy of fusion
			The term fusion to be included and spelled correctly to gain the B1 mark		Must use tick or cross on Scoris to show if the mark is awarded
	(b)	(i)	Total / sum of randomly (distributed) kinetic energy and potential energy of molecules/atoms	B2	Allow: 1 mark only if molecules / atoms and/or randomly are omitted
		(ii)	Potential energy of the molecules increases	B1	
			Kinetic energy of molecules is the same for water and steam (since the temperature is the same) / work is done in moving molecules apart	B1	Allow: work is done to break the bonds (between molecules)
	(c)	(i)	Mass of air = volume x density = 15 x 1.2 (= 18 kg)	C1	
			Heat energy transferred to air in one hour Q = 12 x 60 x 60 (= 43200 J)		
			$\Delta \theta = Q / mc = 12 \times 60 \times 60 / 18 \times 990$	C1	Allow: any subject
					Treat a transcription error as one AE.
			Temperature rise in one hour = 2.4 K	A1	Allow: 2 K as question asks for an estimate
		(ii)	Any two from		
			Heat lost to structure of greenhouse / contents		
			Heat lost through glass / from the greenhouse / surroundings		
			Average rate of loss of heat reduces (as temperature falls)	B1 x 2	
			Total	10	

C	Question		Answer	Marks	Guidance
5	(a)	(i)	Collision in which kinetic energy is conserved	B1	Allow: no ke lost (wtte)
		(ii)	Any <u>four</u> from		Symbols must be defined in formulae
			Many molecules collide with the walls		
			 A change in momentum occurs when molecule(s) collide with (and rebound from) the walls of container 		
			Force is rate of change of momentum		
			The force exerted by the molecule(s) on wall is equal to force exerted by the wall on the molecule(s) (by Newton's third law)		
			pressure (on wall) = (total) force (on wall) / area (of wall)	B1 x 4	
		(iii)	Any <u>two</u> from		
			Molecules move faster/have greater <u>kinetic</u> energy (at higher temperature)		
			There is an increased <u>rate</u> of collision / more collisions occur <u>per second</u> / collisions occur <u>more often</u>	B1 x 2	Not: greater force Not: harder collisions
			Each collision involves a greater change in momentum		
	(b)	(i)	$P_1V_1/T_1 = P_2V_2/T_2$	C1	
			with T stated in Kelvin or clearly shown in subsequent working		
			$P_2 = 105 \times 5 \times 10^3 \times (273 - 30) / (273 + 20) \times 1.2 \times 10^4$	C1	Temperatures must be in kelvin to score this mark.
			$P_2 = 36$ (kPa)	A1	Allow : consistent working in pascal
		(ii)	Risk that balloon will burst (with further increase in volume)	B1	Allow: pop / explode
			Total	11	

C	Questi	on	Answer	Marks	Guidance
6	(a)		Mass of one hydrogen molecule = $2.02 \times 10^{-3} / 6.02 \times 10^{23}$	C1	
			Mass = 3.4×10^{-27} (kg)	A1	
	(b)		Mean k.e = $3kT/2$		
			Mean ke = $3/2 \times 1.38 \times 10^{-23} \times 1100$	B1	
			Mean ke = 2.3×10^{-20} (J)	B1	
			Mean ke ≈ 2 x 10 ⁻²⁰ (J)	A0	
	(c)		$E_k = \frac{1}{2} mv^2$ 2.3 x 10 ⁻²⁰ = $\frac{1}{2}$ x 6.6 x 10 ⁻²⁷ v^2		Note : Full credit to be given for the use of 2×10^{-20} (J) from (b) giving $v = 2.5 \times 10^{3}$ (ms ⁻¹)
			$v^2 = (2 \times 2.3 \times 10^{-20} / 6.6 \times 10^{-27})$ $v = (2 \times 2.3 \times 10^{-20} / 6.6 \times 10^{-27})^{1/2}$ $v = 2.6 \times 10^3 \text{ (m s}^{-1})$	M1	Note: If 3.36 x 10 ⁻²⁷ is used from (a) (hydrogen molecules) then speed = 3.68 x 10 ³ m s ⁻¹ and scores max 1 mark
	(d)		Helium atoms have a range of speeds / kinetic energies	A1 M1	Accept equivalent wording or suitable diagram
	(4)		Hence some atoms have a velocity greater than 11 km s ⁻¹ / escape velocity	A1	
			Total	8	

OCR (Oxford Cambridge and RSA Examinations) 1 Hills Road Cambridge **CB1 2EU**

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998 Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee Registered in England Registered Office; 1 Hills Road, Cambridge, CB1 2EU Registered Company Number: 3484466 OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)

Head office

Telephone: 01223 552552 Facsimile: 01223 552553



