

**MARK SCHEME for the October/November 2013 series**

<b>0580 MATHEMATICS</b>	
<b>0580/41</b>	Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

<b>Page 2</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2013</b>	<b>0580</b>	<b>41</b>

### Abbreviations

cao	correct answer only
cso	correct solution only
dep	dependent
ft	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
www	without wrong working
art	anything rounding to
soi	seen or implied

Qu	Answers	Mark	Part Marks
1	(a) (i) $\frac{2}{5}$ cao	1	
	(ii) 3 : 2 cao	1	
	(b) (i) 1.22	2	<b>M1</b> for $86.38 - 28 \times 1.56$
	(ii) 1.3 [0] nfw	3	<b>M2</b> for $1.56 \div 1.2$ oe <b>or M1</b> for $1.56 = 120\%$ soi
	(c) 33.6[0]	2	<b>M1</b> for $(667 - 314.2) \div 10.5$ oe
2	(a) 3 correct lines on grid (0, 0) to (40, 5) (40, 5) to (100, 5) (100, 5) to (120, 0)	2	Allow good freehand <b>SC1FT</b> for 2 lines correct, <b>FT</b> from an incorrect line
	(b) $\frac{5}{40}$ oe	1	
	(c) 3.75	4	<b>M2</b> for $0.5 \times 40 \times 5 + 60 \times 5 + 0.5 \times 20 \times 5$ oe [450] or <b>M1</b> for evidence of a relevant area = distance and <b>M1dep</b> <i>their</i> area (or distance) $\div 120$

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2013	0580	41

Qu	Answers	Mark	Part Marks
3	<p>(a) (i) 204 or 204.2 to 204.23</p> <p>(ii) 12 cao</p> <p>(iii) 314 or 314.1 to 314.2</p> <p>(iv) <math>3.14 \times 10^{-4}</math> or 3.141 to <math>3.142 \times 10^{-4}</math></p> <p>(b) 138 or 138.3 to 138.5</p>	<p>2</p> <p>3</p> <p>2</p> <p>2FT</p> <p>4</p>	<p><b>M1</b> for <math>\pi \times 5 \times 13</math> implied by answer in range 204.1 to 204.3</p> <p><b>M2</b> for <math>\sqrt{13^2 - 5^2}</math> or states 5, 12, 13 triangle or <b>M1</b> for <math>13^2 = 5^2 + h^2</math> or better</p> <p><b>M1</b> for <math>\frac{1}{3} \times \pi \times 5^2 \times</math> <i>their</i> (a) (ii) implied by answer in range 314 to 314.3</p> <p><b>FT</b> <i>their</i> (a) (iii) <math>\div 100^3</math> correctly evaluated <b>and</b> given in standard form to 3 sig figs or better or <b>M1 FT</b> for <i>their</i> (a) (iii) <math>\div 100^3</math> or <b>SC1</b> for conversion of <i>their</i> m<sup>3</sup> into standard form only if negative power</p> <p><b>M3</b> for <math>\frac{10\pi}{26\pi} \times 360</math> oe or <math>\frac{\pi \times 5 \times 13 \text{ or } \textit{their} \text{ (a) (i)}}{\pi \times 13^2} \times 360</math> oe or <b>M2</b> for a correct fraction without <math>\times 360</math> or <b>M1</b> for <math>\pi \times 2 \times 13</math> oe [81.6 to 81.8] seen or <math>\pi \times 13^2</math> oe [530.6 to 531.2] seen</p>
4	<p>(a) 45.[0] or 45.01 to 45.02 nfw</p> <p>(b) 84.9 or 84.90 to 84.92</p> <p>(c) (i) 4060 or 4063 to 4064 nfw</p> <p>(ii) 1020 or 1015 to 1016</p> <p>(d) 35.4 or 35.35... nfw</p>	<p>4</p> <p>4</p> <p>3</p> <p>2FT</p> <p>2</p>	<p><b>M2</b> for <math>55^2 + 70^2 - 2.55.70 \cos 40</math> or <b>M1</b> for correct implicit equation <b>A1</b> for 2026. ....</p> <p><b>B1</b> for angle BDC = 40 soi <b>M2</b> for <math>\frac{70 \sin(\textit{their} 40)}{\sin 32}</math> or <b>M1</b> for correct implicit equation</p> <p><b>M2</b> for <math>\frac{1}{2} (55 \times 70 \sin 40) + \frac{1}{2} (70 \times \textit{their} (b) \sin (180 - \textit{their} 40 - 32))</math> oe or <b>M1</b> for correct method for one of the triangle areas</p> <p><b>FT</b> <i>their</i> (c) (i) <math>\div 4</math> oe correctly evaluated or <b>M1</b> <i>their</i> (c) (i) <math>\div</math> figs 4 oe</p> <p><b>M1</b> for <math>\sin 40 = \frac{\textit{distance}}{55}</math> or better or for <math>\frac{1}{2} (55 \times 70 \sin 40) = (70 \times \textit{distance}) \div 2</math> or better</p>

<b>Page 4</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2013</b>	<b>0580</b>	<b>41</b>

<b>Qu</b>	<b>Answers</b>	<b>Mark</b>	<b>Part Marks</b>
<b>5</b>	<b>(a) (i)</b> Correct reflection to (4, 8) (2, 9) (4, 9)	<b>2</b>	<b>SC1</b> for reflection in line $x = 5$ or reflection in $y = k$ Ignore additional triangles
	<b>(ii)</b> Correct rotation to (4, 2), (4, 3) (6, 3)	<b>2</b>	<b>SC1</b> for rotation $180^\circ$ with incorrect centre Ignore additional triangles
	<b>(iii)</b> Shear, x-axis oe invariant, [factor] 2	<b>3</b>	<b>B1</b> each (independent)
	<b>(iv)</b> $\begin{pmatrix} 1 & 2 \\ 0 & 1 \end{pmatrix}$	<b>2FT</b>	<b>FT</b> <i>their</i> shear factor <b>B1FT</b> for one correct column or row in 2 by 2 matrix but not identity matrix or <b>SC1FT</b> for $\begin{pmatrix} 1 & 0 \\ 2 & 1 \end{pmatrix}$
	<b>(b) (i)</b> $\mathbf{p} + 2\mathbf{s}$ final answer	<b>2</b>	<b>M1</b> for recognising $\overrightarrow{OQ}$ as position vector soi
	<b>(ii)</b> $\mathbf{s} + \frac{1}{2}\mathbf{p}$ final answer	<b>2</b>	<b>B1</b> for $\mathbf{s} + k\mathbf{p}$ or $k\mathbf{s} + \frac{1}{2}\mathbf{p}$ or correct route ( $k \neq 0$ )
	<b>(c)</b> parallel <b>and</b> $OQ = 2SR$ oe	<b>1</b>	
<b>6</b>	<b>(a) (i)</b> 1.4 to 1.6	<b>1</b>	
	<b>(ii)</b> 1.15 to 1.25	<b>1</b>	
	<b>(iii)</b> - 1	<b>1</b>	
	<b>(iv)</b> - 2.25 to - 2.1 - 0.9 to - 0.75 2.2 to 2.35	<b>3</b>	<b>B2</b> for 2 correct or <b>B1</b> for one correct or <b>B1</b> for $y = x$ drawn ruled to cut curve 3 times
	<b>(b) (i)</b> - 15	<b>2</b>	<b>B1</b> for $[h(3) =] 8$ seen or <b>M1</b> for $1 - 2(x^2 - 1)$ or better
	<b>(ii)</b> $\frac{1-x}{2}$ or $\frac{1}{2} - \frac{x}{2}$ oe final answer	<b>2</b>	<b>M1</b> for $2x = 1 - y$ or $x = 1 - 2y$ or better
	<b>(iii)</b> - 2, 2	<b>3</b>	<b>M1</b> for $x^2 - 1 = 3$ or better <b>B1</b> for one answer
	<b>(iv)</b> $\frac{1}{8}$ oe nfw	<b>3</b>	<b>M2</b> for $8x = 1$ or $8x - 1 = 0$ or <b>M1</b> for $1 - 2(3x) [= 2x]$

<b>Page 5</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2013</b>	<b>0580</b>	<b>41</b>

<b>Qu</b>	<b>Answers</b>	<b>Mark</b>	<b>Part Marks</b>
7	(a) 24.7 or 24.66 to 24.67	4	<b>M1</b> for midpoints soi (condone 1 error or omission) (5, 15, 25, 35, 45, 55) <b>and</b> <b>M1</b> for use of $\sum fx$ with $x$ in correct interval including both boundaries (condone 1 further error or omission) <b>and</b> <b>M1</b> (dependent on second <b>M</b> ) for $\sum fx \div 120$
	(b) (i) 50, 90, 114	2	<b>B1</b> for 2 correct
	(ii) Correct curve or ruled polygon	3	Ignore section to left of $t = 10$ <b>B1</b> for 6 correct horizontal plots <b>and B1FT</b> for 6 correct vertical plots If 0 scored <b>SC1</b> for 5 out of 6 correct plots <b>and</b> <b>B1FT</b> for curve or polygon through at least 5 of <i>their</i> points dep on an increasing curve/polygon that reaches 120 vertically
	(iii) 21.5 to 23 15 to 16.5 24 to 26	4	<b>B1</b> <b>B1</b> <b>B2</b> or <b>B1</b> for 72 or 72.6 seen
	(c) (i) 50, 30	2	<b>B1</b> each
	(ii) Correct histogram	3FT	<b>B1</b> for blocks of widths 0 – 20, 30 – 60 (no gaps) <b>B1FT</b> for block of height 2.5 or <i>their</i> $50 \div 20$ <b>and B1FT</b> for block of height 1 or <i>their</i> $30 \div 30$

<b>Page 6</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2013</b>	<b>0580</b>	<b>41</b>

<b>Qu</b>	<b>Answers</b>	<b>Mark</b>	<b>Part Marks</b>
<b>8</b>	<p>(a) <math>\sqrt{(-11)^2 - 4(8)(-11)}</math> or better</p> <p><math>p = -(-11), r = 2(8)</math> or better</p> <p>– 0.67, 2.05 final answers</p> <p>(b) 132</p> <p>(c) 20 with supporting algebraic working</p>	<p><b>B1</b></p> <p><b>B1</b></p> <p><b>B1B1</b></p> <p><b>3</b></p> <p><b>6</b></p>	<p>Seen anywhere or for <math>\left(x - \frac{11}{16}\right)^2</math></p> <p>Must be in the form <math>\frac{p + \sqrt{q}}{r}</math> or <math>\frac{p - \sqrt{q}}{r}</math></p> <p>or <b>B1</b> for <math>\sqrt{\frac{11}{8} + \left(\frac{11}{16}\right)^2} + \frac{11}{16}</math></p> <p><b>SC1</b> for – 0.7 or – 0.672 to – 0.671 <b>and</b> 2.0 or 2.046 to 2.047 or answers 0.67 <b>and</b> – 2.05</p> <p><b>M1</b> for <math>y = k\sqrt{x}</math> oe or <math>\sqrt{x} = ky</math> oe <b>A1</b> for <math>k = 6</math> oe or better or for <math>k = 0.1666</math> to 0.167 [<math>k = 6</math> implies M1A1] oe</p> <p><b>B2</b> for <math>\frac{x}{2.5} + \frac{x - 14.5}{0.5} = 19</math> oe or <b>B1</b> for <math>\frac{x}{2.5}</math> or <math>\frac{x - 14.5}{.5}</math></p> <p><b>M1dep on B2</b> for first completed correct move to clear both fractions <b>M1</b> for second completed correct move to collect terms in <math>x</math> to a single term <b>M1</b> for third completed correct move to collect numeric term[s] leading to <math>ax = b</math> <b>SC1</b> for 20 with no algebraic working</p>
<b>9</b>	<p>(a) <math>y = 2</math> oe <math>y = 2x</math> oe <math>y = -\frac{1}{2}x + 5</math> oe</p> <p>(b) <math>y \geq 2</math> oe <math>y \leq 2x</math> oe <math>y \leq -\frac{1}{2}x + 5</math> oe</p> <p>(c) (i) 4 [bushes], 3 [trees]</p> <p>(ii) 2 [bushes], 4 [trees]</p> <p>860</p>	<p><b>1</b></p> <p><b>2</b></p> <p><b>2</b></p> <p><b>3</b></p> <p><b>2</b></p> <p><b>2</b></p> <p><b>1</b></p>	<p><b>M1</b> for <math>y = kx, k \neq 0</math> or gradient 2 soi</p> <p><b>M1</b> for gradient <math>-\frac{1}{2}</math> soi or <math>y = kx + 5</math> oe or <math>x + 2y = k, k \neq 0</math> oe If <math>L^2</math> <b>and</b> <math>L^3</math> both correct but interchanged then <b>SC3</b></p> <p><b>B1</b> for each correct inequality, allow in any order After 0 scored, <b>SC1</b> for all inequalities reversed</p> <p><b>M1</b> for any correct trial using integer coordinates in region or <math>30x + 200y = 720</math> seen</p> <p><b>M1</b> for any correct trial using integer coordinates in region</p>

<b>Page 7</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2013</b>	<b>0580</b>	<b>41</b>

<b>Qu</b>	<b>Answers</b>	<b>Mark</b>	<b>Part Marks</b>
<b>10</b>	<b>(a) (i)</b> $1 + 2 + 3 + 4 + 5 = 15$	<b>1</b>	
	<b>(ii)</b> Correct substitution equating to sum e.g. $\frac{2(2+1)}{k} = 3$ <b>and</b> $k = 2$ stated with no errors seen	<b>2</b>	<b>M1</b> for using a value of $n$ in $\frac{n(n+1)}{k}$ e.g. $\frac{2(2+1)}{k} = 3$ or for a verification using $k = 2$ e.g. $\frac{2(2+1)}{2} = 3$
	<b>(iii)</b> 1830	<b>1</b>	
	<b>(iv)</b> 30	<b>2</b>	<b>M1</b> for $\frac{n(n+1)}{2} = 465$ or better
	<b>(v)</b> $n - 8$	<b>1</b>	
	<b>(b) (i)</b> 225, 15	<b>2</b>	<b>B1</b> either
	<b>(ii)</b> $\frac{n^2(n+1)^2}{4}$ oe	<b>1</b>	
	<b>(iii)</b> 36100	<b>2</b>	<b>M1</b> for $\frac{19^2(19+1)^2}{4}$ oe or $190^2$