UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS GCE Advanced Subsidiary Level and GCE Advanced Level

MARK SCHEME for the May/June 2012 question paper

for the guidance of teachers

9700 BIOLOGY

9700/33 Paper 31 (Advanced Practical Skills 1), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



I

| Page 2 | Mark Scheme: Teachers' version | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | GCE AS/A LEVEL – May/June 2012 | 9700 | 33 |

Mark scheme abbreviations:

| ; / | separates marking points alternative answers for the same point |
|------------------|--|
| R | reject |
| A AW | accept (for answers correctly cued by the question, or by extra guidance) alternative wording (where responses vary more than usual) |
| <u>underline</u> | actual word given must be used by candidate (grammatical variants excepted) |
| max | indicates the maximum number of marks that can be given |
| ora | or reverse argument |
| mp | marking point (with relevant number) |
| ecf | error carried forward |
| I | ignore |
| ACE | Analysis, Conclusions and Evaluation (skills) |
| MMO | Manipulations, Measurement and Observation (skills) |
| PDO | Presentation of Data and Observations (skills) |

| Page 3 | Mark Scheme: Teachers' version | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | GCE AS/A LEVEL – May/June 2012 | 9700 | 33 |

| | Expected Answers | | | | |
|------------------|----------------------|---|---|--|--|
| 1 (a | 1 (a) (i) [1] | | | | |
| MMO decision 1 | | Idea of more than single cell or cells in field of view or that eyes can see or Idea of repeat or more readings / observ | | | |
| ^D OMM | | | Do not give mark if ref. to observe over time or at different times ref. to staining any ref. to measuring | | |

| (8 | a) (ii) | | [4] |
|--|---------|--|--|
| ng 2 | mp1 | table with all cells drawn | AND heading (top row or left of recorded data column) <u>concentration of sodium chloride solution/mol</u> <u>dm⁻³;</u> |
| PDO recording | | | Do not give mark if units in cells of headed column |
| mp2 (any correct heading – o state(s) of plasmolysis; | | (any correct heading – column or row) state(s) of plasmolysis; | |
| | | | Do not give mark ifheadings for method variables |
| | mp3 | • records more than one cell for <u>0.8,</u> <u>0.4. 0.2,</u> or <u>S1,S2,S3</u> AND <u>S4</u> | AND records state of plasmolysis for each cell or number of cells in each state; |
| ection 2 | | | Do not give mark if just record a single result for each solution or plasmolysed to non-plasmolysed |
| MMO collection 2 | mp 4 | has recorded for 0.8 or S1 in context of complete or more plasmolysis highest number of cells | AND has recorded for 0.2 or S3 in context of no or slight plasmolysis highest number of cells; |
| | | | Ignore • turgid or flaccid |

| Page 4 | Mark Scheme: Teachers' version | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | GCE AS/A LEVEL – May/June 2012 | 9700 | 33 |

| (; | a) (iii) | | [1] |
|--------------------------|----------|---|---|
| retation 1 | | correct with their results (however sho | own e.g. % plasmolysed cells) and uses only |
| ACE interpretation | | | Do not give mark if no results for S4 any other values |
| (; | a) (iv) | | [max 1] |
| | | cause of error | WITH idea of error |
| ACE interpretation MAX 1 | mp 1 | (dependent variable) <i>idea of</i> state of plasmolysis cells on slide and in Fig 1.1 | <i>idea of</i> difficult to judge / distinguish / see / observe or not enough states shown / only 4 or some cells between diagrams not the same or different; |
| interp | mp 2 | <u>gualitative;</u> | |
| ACE | | Ignore ref. to colour or stain ref. to measurements | |

| Page 5 | Mark Scheme: Teachers' version | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | GCE AS/A LEVEL – May/June 2012 | 9700 | 33 |

| (4 | a) (v) | | [max 3] |
|------------------------|--------|--|--|
| ACE improvements MAX 3 | mp 1 | (independent variable) (concentration of sodium chloride) <i>idea of</i> use more concentrations or serial dilution; | |
| | mp 2 | 2 (dependent variable) more diagrams for more stages of plasmolysis; | |
| | | | Do not give mark if • to stain or colour |
| | mp 3 | repeat or replicate (in context of each | solution); |
| | | | Do not give mark if • more cells |
| mprovei | mp 4 | (standardised variables) <i>idea of</i> leave / soak (cells / onion) for l | onger or same time or until no further plasmolysis; |
| ACE | | | Do not give mark ifref. to measure at different times |
| | mp 5 | use same onion or same part of onion | or same age or fresh onion; |
| | | | Do not give mark if same cell |
| | mp 6 | <i>idea of</i> same <u>volume</u> or e.g. with cm ³ of solutions and measuring method; | Do not give mark if • amount |

| Page 6 | Mark Scheme: Teachers' version | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | GCE AS/A LEVEL – May/June 2012 | 9700 | 33 |

| 1 (k | o) (i) | | [4] |
|----------------------|---------|--|--|
| | mp 1 | x-axis concentration (of) <u>sodium chloride / NaCl solution /</u> $\times 10^{-2}$ mol dm ⁻³ | AND <i>y</i> -axis percentage or <u>%</u> (of) red blood cells destroyed; |
| | mp 2 | scale as <i>x</i> -axis 0.5 to 2 cm labelled each 2 cm | AND <i>y</i> -axis 20 to 2 cm labelled each 2 cm ; |
| PDO layout 4 | | correct plotting of <u>six</u> points only as small cross (does not go outs cross in circle; Do not give mark if plotted 50% with same as other blobs or dots alone if blob in circle bigger than 1mm | |
| | mp 4 | <u>six</u> plots with <u>ruled</u> lines exactly point to point or <u>curve through 6 points</u> | AND (quality) smooth line less than 1 mm line thickness ; |
| | | | Do not give mark ifany extrapolation |
| (k | o) (ii) | | [2] |
| 1 | mp 1 | shows reading off at <u>50%;</u> | |
| MMO collection | | | |
| | mp 2 | correct reading from graph | $\frac{\text{AND}}{\times 10^{-2} \text{ mol dm}^{-3}};$ |
| ACE interpretation 1 | | Can have mark if line crosses at halfway between vertical lines then MUST read half square value e.g. 6.775 line crosses nearer right vertical then can have only either half square value or value of right vertical line crosses nearer left vertical then can have only either value of line crosses nearer left vertical then can have only either value of left vertical or half way value | |

| Page 7 | Mark Scheme: Teachers' version | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | GCE AS/A LEVEL – May/June 2012 | 9700 | 33 |

| (| (b) (iii) [3] <i>Ignore</i> ref. to plasmolysis, water potential, isotonic, hyper/hypotonic, haemolysis | | | | | | |
|----------------|---|---|--|----------|--|--|--|
| on 3 | mp 1 | for any correct reference in context of w osmosis; | rater moving | | | | |
| | | Must haveref to only water moving | | | | | |
| ACE conclusion | mp 2 | correct idea of movement of water in 0% no <u>net</u> movement <u>of water;</u> | 6 | | | | |
| ACE | | | Do not give mark if no movement of water | | | | |
| | mp 3 | correct idea of movement of water in 10 idea of water moving into cells; | 0% | | | | |
| | | | Do not give mark ifref. to no water out | | | | |
| | 1 | | [To | tal: 19] | | | |

| Page 8 | Mark Scheme: Teachers' version | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | GCE AS/A LEVEL – May/June 2012 | 9700 | 33 |

| 2 | (a) (i) | | [1] | | | |
|-------------------|----------------|---|--|--|--|--|
| MMO decision 1 | | <i>idea of</i> <u>describing</u> difference in (P) (in top layer <u>only</u>) bubbles or drop(lets) or gas or air; | | | | |
| lgno • | | on or immiscible | Do not give mark forbubbles either labelled or drawn on Q | | | |
| | (a) (ii) /c | gnore explanations e.g. hydrophobic mo | [3] [3] | | | |
| | mp 1 | mp 1 identifies layers correctly (on top) oil AND (layer underneath) water; | | | | |
| MMO decisions 2 | mp 2 | <i>(Idea of position)</i> labels egg or yolk | AND drawn or described egg / drop somewhere in bottom half of oil and top half of water or layer between oil and water; | | | |
| MMO | | Ignore emulsion or immiscible additional drawings of egg e.g. on surface or tails into lower layer | | | | |
| | mp 3 | detail | · | | | |
| cording 1 | | (anywhere) draws egg as drop or distinct rounded shape (not layer); | | | | |
| PDO recol | | Ignore tails | Do not give mark if layer If egg all at bottom of tube only happens if shaken | | | |

| Page 9 | Mark Scheme: Teachers' version | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | GCE AS/A LEVEL – May/June 2012 | 9700 | 33 |

| (4 | (a) (iii) [2] <i>Ignore</i> explanations precipitate suspensions solutions emulsions | | | | | | |
|--------------|---|--|--|--|--|--|--|
| iision 2 | mp 1 | (P) <u>description</u> P in (a) (iii) compared to P in (a) (i) looking for something other than labels of contents. idea of cloudy or hazy(ier) or milky or describes colour e.g. white or yellow or cream(y) or ref. to difference in bubbles described e.g. if no bubbles in P in (a)(i) then allow any bubbles labelled here or if bubbles in lower layer in P in (a)(i) then could have more bubbles in P here; | | | | | |
| MMO decision | mp 2 | (annotated <u>description</u> (not contents) of compare Q from (a)(ii) to Q in (a)(iii) (drawn and) <u>labelled</u> egg / yolk at bottom of tube or in lower layer or lower half of test-tube or labelled (meniscus curved in (a)(ii) to) meniscus flat(ter) or not / less curved top layer foam or froth bubbles any valid ref. to cloudier or hazier or milkier or more white or turbid or dense any valid ref. to different colours recorded; | | | | | |
| | Do not give mark if oil, water and yolk drawn as separate layers labels only as mixture or emulsion | | | | | | |

| Page 10 | 10 Mark Scheme: Teachers' version | | Paper |
|---------|-----------------------------------|------|-------|
| | GCE AS/A LEVEL – May/June 2012 | 9700 | 33 |

| (k | o) (i) | | | [4] | |
|----------------|--------|--|---|--|--|
| PDO layout 1 | mp 1 | no shading or dashed line inside cell | AND largest blood cell larger than 30mm | AND clear, sharp, unbroken lines in <u>all</u> cell <u>surface</u> membranes drawn; Do not give mark if less than three cell surface membranes or if any cell surface membrane has drawn two lines any ruled lines any line more than 1 mm any feathery or broken or dashed or gap any 'tail' or overlap drawn over the print of question | |
| | mp 2 | on Fig.2.6 sh different type | ows in any way three s of cell | AND draws <u>both</u> white blood cells with a nucleus and at least one red blood cell; | |
| tion 3 | | | Ignore a | ny labels for cells | |
| ollect | mp 3 | drawn neutro | phil larger than both of oth | er two types of cells; | |
| MMO collection | mp 4 | (in neutrophil |) | AND (in other white blood cell) | |
| × | | correct shape | e of nucleus | nucleus fills more than half the cell and positioned closer to or in contact with membrane on one side; | |

| (b) (ii) | | | | | |
|--------------------|------|--|---|--|--|
| PDO recording 1 | mp 1 | organise as a table with only three columns or rows separated by lines (no cells needed) Ignore numbered columns | AND headings in any order only Do not give mark if divide wbc into 2 columns / rows red blood cells / rbc and white blood cells / wbc; | AND third column / row contains examples of features | |
| on 1 | mp 1 | only observable differences (at least two) recorded ; | | | |
| MMO decision | | | Do not give mark if any function or ref. to 'not visible' contents e.g. haemoglobin or organelles two white blood cells given | | |

| Page 11 | Mark Scheme: Teachers' version | Syllabus | Paper |
|---------|--------------------------------|----------|-------|
| | GCE AS/A LEVEL – May/June 2012 | 9700 | 33 |

| | | | 1 | r | | · · · · · · · · · · · · · · · · · · · | |
|----------------------|----------|---|---|---|---|--|--|
| | | | feature | re | d blood cells | white blood cells | |
| | | mp 1 | (size) | sn | nall(er) | larger; | |
| | | mp 2 | (number) | many or more | | few(er); | |
| | | mp 3 | (nucleus presence) | ab | osent or no(ne) | present or yes; | |
| | | mp 4 | (cytoplasm) | | ht(er) (red) or less | dark(er) (red) | |
| נ ו | Max 3 | (carrace) | | dense smooth not rough no(one) / absent or agranular | | rough or textured yes / present or granular; | |
| ACE interpretation 3 | | mp 5 | (grouping) | | ea of together or group sticky or clump | separate or not in groups; | |
| E inter | | mp 6 | (type) | or | ne or same | two or different types; | |
| ACI | use m | functions ref. to co shape o 3-D dese spherica tick and diagram ave diffe | blour f cell or nucleus criptions such as Il, biconcave, ball, disc cross without a key | J. | following sentences Do not give mark if for each feature opposite each ot or e.g. red blood | | |

| Page 12 | Mark Scheme: Teachers' version | Syllabus | Paper |
|---------|--------------------------------|----------|-------|
| | GCE AS/A LEVEL – May/June 2012 | 9700 | 33 |

| (k | (b) (iii) [6] | | | | | |
|---------------------|--|--|---|---|--|--|
| MMO collection 1 | mp 1 | shows at least one value for each of J, K, L, M and N or the same number of values from each cell; Ignore use of metres or μm | | | | |
| MMO decision 1 | mp 2 | shows <u>mm</u> at least <u>once</u> on values 8 or higher; | | | | |
| | mp 3 shows addition of at least <u>five</u> values | | AND shows division by number of values; | | | |
| ly 2 | | Can have • alternative signs for division | | Do not give mark for Σx/n unless x and n have key | | |
| PDO display 2 | mp 4 | shows at least <u>one</u> conversion of mm to μm by showing <u>multiplication</u> by 1000 or 10³ | | AND shows figure divided by1430; | | |
| | | Can have alternative signs for multiplic (or *) or alternative signs for division | | Do not give mark if metres anywhere no mm anywhere | | |
| PDO layout 1 | mp 5 | draws <u>only</u> one 'bumpy / spiky' cell with no shading; | any or | ot give mark if y feathery or broken or dashed gap or overlap or tail in the outline of cell awn over the print of question | | |
| MMO collection 1 | mp 6 | shows any one measurement across a <u>drawn</u> cell (if more than one cell drawn then must be labelled J); Do not give mark if cell has smooth shape e.g. oval, round etc. | | | | |
| | | | | [Total: 21] | | |