

**UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS****GCE Advanced Subsidiary Level and GCE Advanced Level****MARK SCHEME for the May/June 2012 question paper  
for the guidance of teachers****9700 BIOLOGY****9700/32**

Paper 32 (Advanced Practical Skills 2), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

<b>Page 2</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>GCE AS/A LEVEL – May/June 2012</b>	<b>9700</b>	<b>32</b>

Mark scheme abbreviations:

<b>;</b>	separates marking points
<b>/</b>	alternative answers for the same point
<b>R</b>	reject
<b>A</b>	accept (for answers correctly cued by the question, or by extra guidance)
<b>AW</b>	alternative wording (where responses vary more than usual)
<b><u>underline</u></b>	actual word given must be used by candidate (grammatical variants excepted)
<b>max</b>	indicates the maximum number of marks that can be given
<b>ora</b>	or reverse argument
<b>mp</b>	marking point (with relevant number)
<b>ecf</b>	error carried forward
<b>I</b>	ignore
<b>ACE</b>	Analysis, Conclusions and Evaluation (skills)
<b>MMO</b>	Manipulations, Measurement and Observation (skills)
<b>PDO</b>	Presentation of Data and Observations (skills)

<b>Page 3</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>GCE AS/A LEVEL – May/June 2012</b>	<b>9700</b>	<b>32</b>

## Expected Answers

<b>1 (a) (i)</b>		<b>[3]</b>
<b>MMO decisions 1</b>	<b>mp1</b>	<u>1.0(%)</u>
		<p><b>AND</b> (simple dilution) next 4 concentrations giving 4 intervals;</p> <p><b>Do not give mark if</b></p> <ul style="list-style-type: none"> <li>• rounds concentration e.g. 0.063 in the serial dilution</li> </ul>
<b>MMO decisions 2</b>	<b>mp2</b>	(shows correct use of <b>E</b> in either simple or serial dilution)
		<p>1% / <b>E</b> used in <u>first four</u> concentrations for <u>simple dilution</u></p> <p>or</p> <p>1% / <b>E</b> <u>used for first dilution only</u> in a serial dilution</p>
		<p><b>AND</b></p> <p>cm<sup>3</sup> once for <b>E</b>;</p> <p><b>Do not give mark if</b></p> <ul style="list-style-type: none"> <li>• if no concentrations</li> </ul>
	<b>mp3</b>	<p>(simple or serial dilution) for first four concentrations total final volumes made are between 2 and 10</p> <p><b>AND</b> the same volume for each concentration;</p>

<b>Page 4</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>GCE AS/A LEVEL – May/June 2012</b>	<b>9700</b>	<b>32</b>

<b>(a) (ii)</b>		<b>[5]</b>
<b>PDO recording 2</b>	<b>mp 1</b>	table with all cells drawn
		<b>AND heading (top row or left of recorded data column )</b>
		<ul style="list-style-type: none"> <li>percentage concentration of <b>E / enzyme</b>;</li> </ul>
		<p><b>Do not give mark if</b></p> <ul style="list-style-type: none"> <li>units in cells of headed column / row</li> </ul>
	<b>mp 2</b>	(heading for any column / row including mean) <u>time</u> (/) s or sec(ond)s;
		<p><b>Do not give mark if</b></p> <ul style="list-style-type: none"> <li>units in cells of this column / row</li> <li>min(utes)</li> <li>additional method information either headings for columns / rows variables or in cells</li> </ul>
<b>MMO collection 2</b>	<b>mp 3</b>	(mark first column / row of recorded time taken) for at least four concentrations records whole seconds (number less than 180 or > or 'more than 180');
	<b>mp 4</b>	(mark <b>first</b> column / row of recorded time taken) (records correct pattern) highest concentration recorded is shorter time than lowest concentration ;
<b>MMO decision 1</b>	<b>mp 5</b>	at least two readings per concentrations <b>or</b> six or more concentrations;

<b>Page 5</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>GCE AS/A LEVEL – May/June 2012</b>	<b>9700</b>	<b>32</b>

<b>(a) (iii)</b>		<b>[1]</b>
ACE improvement 1	replace enzyme / <b>E</b> with water <b>or</b> use water / <b>W</b> instead of enzyme / <b>E</b> ;	
<b>(a) (iv)</b>		<b>[1]</b>
ACE interpretation 1	$(0.5\text{ mm} \times 2 = 1) \pm 1\text{ mm}$ <b>or</b> $(\pm)5\%$ ;	
<b>(a) (v)</b>		<b>[max 2]</b>
ACE interpretation MAX 2		Cause of error
	<b>mp 1</b>	(dependent) colour change / end-point iodine colour
	<b>mp 2</b>	idea of reaction
	<b>mp 3</b>	(standardised) iodine staining <b>or</b> time paper left in iodine solution <b>or</b> iodine( solution)
	<b>mp 4</b>	mixing of the solution
	<b>mp 5</b>	paper <b>or</b> splint
		WITH idea of error
		(idea of) difficult to judge or see or identify;
		too quick or describes more concentrated goes quickly;
		not same or varies or different;  loses colour
		not same or varies or different;
		drops off or sticks to sides  difficult to cut / too thick to cut;

<b>Page 6</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>GCE AS/A LEVEL – May/June 2012</b>	<b>9700</b>	<b>32</b>

<b>(a) (vi)</b>		<b>[2]</b>
<i>Do not give mark if ref. to colorimeter.</i>		
<b>ACE interpretation MAX 2</b>	<b>mp 1</b>	(independent variable) (concentration of enzyme) idea of use more or different or wider / narrower range of concentration(s) <b>or</b> repeat;
	<b>mp 2</b>	(standardised variables) stain each piece of paper for an equal time <b>or</b> stain all paper before cutting into pieces;
	<b>mp 3</b>	fresh iodine solution for each square <b>or</b> stronger / darker iodine <b>or</b> leave longer in the iodine;
	<b>mp 4</b>	(when adding <b>E</b> to test tube)  mixing or stirring  same <u>volume</u>
		using a stirrer or (electronic) mixer  <b>AND</b> use <u>graduated</u> pipette <b>or</b> measuring cylinder <b>or</b> burette <b>or</b> syringe;
		<b>Do not give mark if</b> • making dilutions more accurate
<b>mp 5</b>	new test tube for each experiment which is the same size <b>or</b> use a straw instead of a splint;	
<b>mp 6</b>	pH	use buffer to keep constant;

<b>Page 7</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>GCE AS/A LEVEL – May/June 2012</b>	<b>9700</b>	<b>32</b>

<b>(b) (i)</b>		<b>[4]</b>	
<i>If draw a chart then only first mp can be given.</i>			
PDO layout 4	<b>mp 1</b>	x-axis <u>bead diameter (l) mm</u>	<b>AND</b> y-axis <u>mass of product (in a minute) (l) mg min<sup>-1</sup> or mg / min;</u>
	<b>mp 2</b>	scale as x-axis <u>1.0 to 2cm labelled each 2cm</u> except origin and 6.0	<b>AND</b> y-axis <u>10 to 2 cm labelled each 2 cm</u> except origin and 60;
	<b>mp 3</b>	correct plotting of <ul style="list-style-type: none"> <li>• <u>five</u> points</li> <li>• as small cross <b>or</b> dot in circle <b>or</b> cross in circle to <u>within</u> half a square;</li> </ul> <p><b>Do not give mark if</b></p> <ul style="list-style-type: none"> <li>• plotted 2 cm with same symbol as other points</li> <li>• dots alone</li> <li>• if dot (in circle) bigger than 1mm diameter</li> </ul>	
	<b>mp 4</b>	<u>five</u> plots with <u>ruled</u> lines exactly point to point <b>or</b> <u>curve through 5 points</u>	<b>AND</b> (quality) <u>smooth line less than 1 mm thick;</u>
		<b>Do not give mark if</b> <ul style="list-style-type: none"> <li>• any extrapolation</li> </ul>	

<b>Page 8</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>GCE AS/A LEVEL – May/June 2012</b>	<b>9700</b>	<b>32</b>

<b>(b) (ii)</b>		<b>[1]</b>
ACE interpretation 1	<b>1</b>	correct reading from their graph <b>AND</b> <u>mg min<sup>-1</sup></u> or <u>mg/min</u> ;
		<p><b>Can have mark if</b></p> <ul style="list-style-type: none"> <li>line crosses at halfway between vertical lines then <b>MUST</b> read half square value e.g. 6.775</li> <li>line crosses nearer right vertical then can have only either half square value or value of right vertical</li> <li>line crosses nearer left vertical then can have only either value of left vertical or half way value</li> </ul>
<b>(b) (iii)</b>		<b>[max 3]</b>
<p><b>mp 1, 2 and 3</b> do not give mark if ref. to concentration of enzyme or volume of enzyme or surface area to volume ratio of beads or changing number of beads in same sentence as correct idea.</p>		
ACE conclusion MAX 3	<b>mp 1 and 2</b>	larger beads <b>or</b> diameter increases <b>or</b> beads with more surface area
	<b>mp 1 only</b>	larger beads <b>or</b> diameter increases <b>or</b> beads with more surface area
	<b>mp 3</b>	(increase in mass of product slows ) <u>idea of limiting factor</u> <b>or</b> the enzyme is not limiting <b>or</b> description e.g. not enough substrate <b>or</b> temp or pH;
		<b>Do not give mark if</b> <ul style="list-style-type: none"> <li>idea of all substrate broken down</li> </ul>
<b>[Total: 22]</b>		



<b>Page 9</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>GCE AS/A LEVEL – May/June 2012</b>	<b>9700</b>	<b>32</b>

<b>2 (a)</b>				<b>[5]</b>
PDO layout 1	<b>mp 1</b>	not drawn over the print of question and <u>no</u> shading	<b>AND</b> largest innermost enclosed area more than 50mm across widest point	<p><b>AND</b> clear, sharp, unbroken lines <u>all</u> inner enclosed areas;</p> <p><b>Do not give mark if</b></p> <ul style="list-style-type: none"> <li>• less than 2 hand drawn inner enclosed areas</li> </ul> <p><b>or if any inner enclosed area has</b></p> <ul style="list-style-type: none"> <li>• any ruled or compass lines</li> <li>• any line 1mm or thicker</li> <li>• any feathery or broken / dashed line or gap in line</li> <li>• any 'tails' or overlaps</li> </ul>
	MMO collection 2	<b>mp 2</b>	<u>only two</u> alveoli drawn with different irregular shapes shown by the inner most line;	
<b>mp 3</b>		2 <u>complete</u> alveoli with different irregular shapes shown by the inner most line;		
MMO decision 2	<b>mp 4</b>	at least 3 nuclei drawn either within the alveolar wall or touching a wall line;		
				<p><b>Do not give mark if</b></p> <ul style="list-style-type: none"> <li>• draw cells</li> <li>• nucleus larger than thickness of alveolus wall</li> </ul>
	<b>mp 5</b>	<u>only one</u> correct label <u>nucleus</u> , with label line touching either the single line of a small enclosed area or into the enclosed area	<p><b>AND</b> enclosed area must be drawn either within the alveolar wall or touching a wall line;</p>	
		<p><b>Do not give mark if</b></p> <ul style="list-style-type: none"> <li>• nucleus enclosed in a cell</li> <li>• nucleus larger than thickness of alveolus wall when drawn as double line</li> <li>• any label is biologically incorrect e.g. from incorrect organ or plant e.g. epidermis or non observable e.g. cilia</li> <li>• any label within drawn area</li> </ul>		

<b>Page 10</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>GCE AS/A LEVEL – May/June 2012</b>	<b>9700</b>	<b>32</b>

<b>(b) (i)</b>		<b>[1]</b>	
MMO decision 1		count or find the number of squares;	
<b>(b) (ii)</b>		<b>[4]</b>	
MMO collection 2	<b>mp 1</b>	Shows a <u>whole number</u> <ul style="list-style-type: none"> <li>from 82 to 94 (whole lumen)</li> </ul>	<b>AND</b> shows a whole number either from 48 to 59 (unblocked area) or from 29 to 42 (blocked area) ;
	<b>mp 2</b>	(records values as) squares <b>or</b> cm <sup>2</sup> <b>or</b> mm <sup>2</sup> anywhere once;	
		<b>Do not give mark if</b> contradiction with units e.g. squares and cm <sup>3</sup>	
PDO display 2	<b>mp 3</b>	shows	<b>or</b>
		(29 to 42 divided by 82 to 94) × 100 <b>or</b> (82 to 94 minus 48 to 59) divided by 82 to 94 × 100	100 minus (48 to 59 divided by 82 to 94 × 100) <b>or</b> 100 minus (82 to 94 minus 29 to 42 divided by 82 to 94 × 100);
	<b>Can have</b> <ul style="list-style-type: none"> <li>alternative signs for multiplication (or *) and division</li> </ul>	<b>Do not give mark if</b> only 100 minus(29 to 42 divided by 82 to 94 × 100)	
<b>mp 4</b>	answer as a whole number;		
	If do not put answer on answer line but at end of calculation must have %		

<b>Page 11</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>GCE AS/A LEVEL – May/June 2012</b>	<b>9700</b>	<b>32</b>

<b>(b) (iii)</b>				<b>[4]</b>
<b>PDO layout 1</b>	<b>mp 1</b>	not drawn over the print of question  and <u>no</u> shading or dashed line inside cell	<b>AND</b> largest blood cell larger than 30 mm	<b>AND</b> clear, sharp, unbroken lines in <u>all</u> cell <u>surface</u> membranes drawn; <b>Do not give mark if</b> <ul style="list-style-type: none"> <li>• less than 4 cell surface membranes</li> </ul> <b>or if any cell surface membrane has</b> <ul style="list-style-type: none"> <li>• two lines in the fish cells</li> <li>• any ruled or compass lines</li> <li>• any line 1mm or thicker (use grid)</li> <li>• any feathery or broken/dashed line or gap</li> <li>• any 'tails' or overlap</li> </ul>
	<b>MMO collection 2</b>	<b>mp 2</b>	only two of each drawn ;	
			<b>Do not give mark if</b> <ul style="list-style-type: none"> <li>• any cell membrane drawn into another cell</li> </ul>	
<b>mp 3</b>		largest fish cell drawn should be smaller than the smallest frog cell drawn; (widest dimension is at least 1 mm bigger)		
			<b>Do not give mark if</b> <ul style="list-style-type: none"> <li>• internal structures other than nucleus inside cells e.g. vacuole / mitochondria</li> </ul>	
<b>MMO decision 1</b>	<b>mp 4</b>	correct label <u>cell (surface) membrane</u> with label line which must touch but not cross the outermost line of a red blood cell;		
			<b>Do not give mark if</b> <ul style="list-style-type: none"> <li>• more than one fish or frog cell labelled</li> <li>• any labels are not of cell structure e.g. epidermis or epithelium</li> <li>• any label within drawn area</li> </ul>	

Page 12	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	32

<b>(b) (iv)</b>			<b>[4]</b>		
<b>PDO recording 2</b>	<b>mp 1</b>	organise as a table with only three columns or rows separated by lines (no cells needed)	<b>AND</b> headings in any order <u>Fig 2.2 or Fish and Fig 2.3 or Frog</u>		
	<b>mp 2</b>	only observable <b>differences</b> (at least two) recorded ;			
			<b>Do not give mark if</b> <ul style="list-style-type: none"> <li>• any function or not observable e.g haemoglobin or organelles other than nucleus.</li> <li>• surface area to volume ratio</li> <li>• any similarities recorded</li> </ul>		
<b>ACE interpretation MAX 2</b>	<b>max 2</b>		feature	Fig 2.2 fish	Fig.2.3 frog
		<b>mp 1</b>	size of cells	small(er)	large(r);
		<b>mp 2</b>	number of cells	lots / more	few(er);
		<b>mp 3</b>	size of nucleus	small(er)	large(r);
		<b>mp 4</b>	shape of cell or shape of nuclei	most / more circular or round <b>or</b> describes mixed shapes	most / more oval <b>or</b> describes mixed shapes;
		<b>mp 5</b>	grouping	<i>idea of together / group / sticky / clump / closely packed / overlapping or fewer gaps between cells / more spaces</i>	separate / less closely packed / not overlapping / separate or more gaps between cells / less space ;
			<b>Ignore</b> <ul style="list-style-type: none"> <li>• functions</li> <li>• ref. to colour</li> <li>• 3-D descriptions such as spherical, biconcave, ball, disc, rugby ball shape</li> <li>• tick and cross without a key</li> <li>• diagrams</li> </ul> <p><b>Can have</b> difference on one side if e.g. use more or – er with vague answer in other column</p>	<b>Do not give ACE mark if</b> <ul style="list-style-type: none"> <li>• for each feature the difference is not opposite each other unless comparative statement e.g. more or <u>-er</u></li> <li>• or e.g. Fig 2.2                    difference i</li> <div style="margin-left: 150px;">Fig 2.3                                difference ii</div> </ul>	
<b>[Total: 18]</b>					