



# A-LEVEL MATHEMATICS

Decision 1 – MD01

Mark scheme

---

6360  
June 2014

---

Version/Stage: 1.0 Final

---

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts: alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available from [aqa.org.uk](http://aqa.org.uk)

## Key to mark scheme abbreviations

M	mark is for method
m or dM	mark is dependent on one or more M marks and is for method
A	mark is dependent on M or m marks and is for accuracy
B	mark is independent of M or m marks and is for method and accuracy
E	mark is for explanation
✓ or ft or F	follow through from previous incorrect result
CAO	correct answer only
CSO	correct solution only
AWFW	anything which falls within
AWRT	anything which rounds to
ACF	any correct form
AG	answer given
SC	special case
OE	or equivalent
A2,1	2 or 1 (or 0) accuracy marks
-x EE	deduct x marks for each error
NMS	no method shown
PI	possibly implied
SCA	substantially correct approach
c	candidate
sf	significant figure(s)
dp	decimal place(s)

## No Method Shown

Where the question specifically requires a particular method to be used, we must usually see evidence of use of this method for any marks to be awarded.

Where the answer can be reasonably obtained without showing working and it is very unlikely that the correct answer can be obtained by using an incorrect method, we must award **full marks**. However, the obvious penalty to candidates showing no working is that incorrect answers, however close, earn **no marks**.

Where a question asks the candidate to state or write down a result, no method need be shown for full marks.

Where the permitted calculator has functions which reasonably allow the solution of the question directly, the correct answer without working earns **full marks**, unless it is given to less than the degree of accuracy accepted in the mark scheme, when it gains **no marks**.

**Otherwise we require evidence of a correct method for any marks to be awarded.**




Q	Solution	Mark	Total	Comment																																																																								
2(a)(i)	<table border="1"> <tr> <td></td> <td>4</td> <td>1</td> <td>2</td> <td>3</td> <td>(7)</td> <td>5</td> <td>6</td> </tr> <tr> <td></td> <td><i>D</i></td> <td><i>E</i></td> <td><i>F</i></td> <td><i>G</i></td> <td><i>H</i></td> <td><i>I</i></td> <td><i>S</i></td> </tr> <tr> <td><del><i>D</i></del></td> <td></td> <td>120</td> <td>140</td> <td>80</td> <td>170</td> <td>140</td> <td>140</td> </tr> <tr> <td><del><i>E</i></del></td> <td>120</td> <td></td> <td>70</td> <td>80</td> <td>130</td> <td>130</td> <td>110</td> </tr> <tr> <td><del><i>F</i></del></td> <td>140</td> <td>70</td> <td></td> <td>90</td> <td>190</td> <td>85</td> <td>90</td> </tr> <tr> <td><del><i>G</i></del></td> <td>80</td> <td>80</td> <td>90</td> <td></td> <td>110</td> <td>100</td> <td>100</td> </tr> <tr> <td><del><i>H</i></del></td> <td>170</td> <td>130</td> <td>190</td> <td>110</td> <td></td> <td>140</td> <td>150</td> </tr> <tr> <td><del><i>I</i></del></td> <td>140</td> <td>130</td> <td>85</td> <td>100</td> <td>140</td> <td></td> <td>60</td> </tr> <tr> <td><del><i>S</i></del></td> <td>140</td> <td>110</td> <td>90</td> <td>100</td> <td>150</td> <td>60</td> <td></td> </tr> </table>		4	1	2	3	(7)	5	6		<i>D</i>	<i>E</i>	<i>F</i>	<i>G</i>	<i>H</i>	<i>I</i>	<i>S</i>	<del><i>D</i></del>		120	140	80	170	140	140	<del><i>E</i></del>	120		70	80	130	130	110	<del><i>F</i></del>	140	70		90	190	85	90	<del><i>G</i></del>	80	80	90		110	100	100	<del><i>H</i></del>	170	130	190	110		140	150	<del><i>I</i></del>	140	130	85	100	140		60	<del><i>S</i></del>	140	110	90	100	150	60		M1		Some (just) rows or (just) cols crossed out, with some values circled/highlighted
		4	1	2	3	(7)	5	6																																																																				
		<i>D</i>	<i>E</i>	<i>F</i>	<i>G</i>	<i>H</i>	<i>I</i>	<i>S</i>																																																																				
	<del><i>D</i></del>		120	140	80	170	140	140																																																																				
	<del><i>E</i></del>	120		70	80	130	130	110																																																																				
	<del><i>F</i></del>	140	70		90	190	85	90																																																																				
	<del><i>G</i></del>	80	80	90		110	100	100																																																																				
	<del><i>H</i></del>	170	130	190	110		140	150																																																																				
	<del><i>I</i></del>	140	130	85	100	140		60																																																																				
	<del><i>S</i></del>	140	110	90	100	150	60																																																																					
		A1		Any 6 values circled/highlighted/listed <b>seen</b> either in table or body of script																																																																								
		A1		First 3 correct, <i>EF</i> or <i>FE</i> , <i>EG</i> or <i>GE</i> , <i>GD</i> or <i>DG</i> , identified AND <i>E</i> , <i>F</i> , <i>G</i> numbered (1, 2, 3 or (0), 1, 2) (if <b>no</b> numbering on table, accept order if clearly shown by a correct list)																																																																								
		A1		All correct or fully correct transpose (numbering may be as first A mark, if <b>no</b> numbering on table, accept order if clearly shown by a correct list, condone omission of 7 at <i>H</i> . Condone row (or col) <i>H</i> not crossed out.)																																																																								
		B1	5	Correct edges (not lengths), either listed or values circled/highlighted <b>seen</b> either in table or body of script																																																																								
(ii)	485	B1	1																																																																									
(iii)		M1		ST with 7 vertices and 6 edges																																																																								
		A1	2	Correct including labelling																																																																								
(b)(i)	<i>IF</i> ( <i>FI</i> ), <i>IS</i> ( <i>SI</i> )	B1, B1		Must be in this order If only 1 edge given then 'last/2 <sup>nd</sup> last' must be clearly stated																																																																								
(ii)	<i>IF</i> ( <i>FI</i> ), <i>GH</i> ( <i>HG</i> )	B1	3	Must be in this order ( <b>SC1</b> if B0 scored in part (i) <b>and</b> (ii), and <b>ONLY IS</b> given for part(i) and <i>GH</i> for part (ii).)																																																																								
<b>Total</b>			<b>11</b>																																																																									

Q	Solution	Mark	Total	Comment		
<b>3 (a)(i)</b>		M1 A1 m1 m1 A1	<b>6</b>	Use of Dijkstra, 2+ values at <i>F</i> Values of 44, 37, 36 only at <i>F</i> 3 values at <i>I</i> 3 values at <i>J</i> All correct, including cancelling and boxing. (condone omission of 0 at <i>A</i> ) Final value at <i>K</i> is 61 (diagram takes precedence over value in body of script) ( <b>Notation:</b> accept correct alternative notation eg 3 'box' method etc) If working from <i>K</i> to <i>A</i> : M1 2 values at <i>F</i> A1 values of 34 and 26 at <i>F</i> m1 2 values at <i>A</i> m1 only one value at every other vertex A1 as above, B1 final value at <i>A</i> is 61		
		B1			<b>1</b>	Or reverse Condone <i>AB, BE, EI, IK</i>
		B1			<b>1</b>	
		B1 B1			<b>2</b>	Or reverse
<b>Total</b>			<b>10</b>			

Q	Solution	Mark	Total	Comment
<b>4(a)</b>	$AC + EG = (6 + 9.5) = 15.5$ $AE + CG = 11 + 12.5 \text{ or } 23.5$ $AG + CE = (7 + 8) = 15$  $79.5 + \text{their min total} = 94.5$	M1 A2,1,0	<b>5</b>	These 3 sets of pairs stated All 3 correct, 2 correct  PI by their final answer (if M0 scored then 94.5 scores SC2)
		m1 A1 cso		
<b>(b)(i)</b>	2	B1		
<b>(ii)</b>	3	B1	<b>2</b>	
<b>(c)(i)</b>	$79.5 + \text{their min edge} = 85.5$	M1 A1	<b>3</b>	PI by their final answer (must have 6 'values' in part (a)) If M0 scored then 85.5 scores 2/2
		B1		
<b>(ii)</b>	<i>E, G</i>	B1		
<b>Total</b>			<b>10</b>	




Q	Solution	Mark	Total	Comment
<p><b>5</b></p> <p><b>(a)</b> <math>x = 1, y = 3</math> and <math>x + y = 5</math>  <math>x + y = 12</math>  <math>3x + 8y = 64</math></p> <p>Correct feasible region</p> <p><b>(b)</b></p> <p><b>(i)</b> 30, (9, 3)</p> <p><b>(ii)</b> 29.6, (6.4, 5.6) oe</p> <p><b>(iii)</b> -15, (9, 3)</p>		<p>B1                      B1                      M1                      A1                      B1</p> <p>B1, B1</p> <p>B1, B1</p> <p>B1, B1</p>	<p><b>5</b></p> <p><b>6</b></p>	<p>Accuracy: All lines must be ruled, correct to within ½ small square both horizontally and vertically, at ‘key’ vertices, stated below.                      Ignore objective lines in part (a)</p> <p><math>x + y = 5</math>, correct at (0, 5) and (5, 0)                      Correct at (4, 8) and (8, 4)                      Line with ‘correct’ gradient (-0.5 to -0.3) passing through (0, 8).                      Correct at (8, 5)                      F.R. (a pentagon) <b>clearly identified</b> and labelled, must have scored previous 4 marks</p> <p>If multiple vertices are listed then final answer must be clearly identified.                      For the second B1, the coordinates must be stated explicitly. (allow <math>x=9, y=3</math> etc)</p> <p>SC1 for 29 - 31, <b>AND</b> (6 - 7, 5 - 6)</p>
	<b>Total</b>		<b>11</b>	



Q	Solution	Mark	Total	Comment
<b>6(a)(i)</b>	30	<b>B1</b>		
<b>(ii)</b>	20	<b>B1</b>	<b>2</b>	
<b>(b)(i)</b>	Quicker going via <i>L</i> oe	<b>E1</b>	<b>1</b>	<i>MLN</i> (= 236), allow 126 + 110
<b>(ii)</b>	932 (mins) isw	<b>B1</b>	<b>1</b>	
<b>(iii)</b>	<i>MLNLBLELM</i>	<b>M1</b>		Any correct 'expansion' eg <i>MLN</i> , <i>NLB</i> or <i>BLE</i>
		<b>A1</b>	<b>2</b>	
<b>(iv)</b>	Script takes precedence over working on table. <i>MBLNEM</i> or <i>MBLNLEM</i>	<b>M1</b> <b>m1</b> <b>A1</b> <b>A1</b> <b>cso</b>	<b>4</b>	Any tour starting and finishing at <i>M</i> Visits all vertices Correct order If M0 scored, then 796 scores SC2
	796 (mins)			If a candidate works only on a table M1 for 4 or 5 values circled m1 for 5 values circled, one per row/col A1 for correct values circled and order shown A1 for 796
<b>Total</b>			<b>10</b>	

Q	Solution	Mark	Total	Comment
<b>7</b>	$4x + 10y + 10z \leq 240$	<b>M1</b>		One correct inequality, PI by correct simplified inequalities
	$7x + 14y + 14z \leq 210$			
	$14x + 21y + 28z \leq 420$	<b>A1</b>		All 3 correct,(PI by correct simplified inequalities)
	(Leading to)			
	$2x + 5y + 5z \leq 120$ ISW	<b>m1</b>		Correctly simplifying one inequality
	$x + 2y + 2z \leq 30$ ISW			
	$2x + 3y + 4z \leq 60$ ISW	<b>A1</b>		All correct
	$x > y + z$ ISW	<b>B1</b>		OE, must have all coefficients as $\pm 1$
	$y \geq z$ ISW	<b>B1</b>		OE, must have all coefficients as $\pm 1$
	$y \geq \frac{15}{100}(x + y + z)$	<b>M1</b>		OE (but not 15%)
	(Leading to)			
	$17y \geq 3x + 3z$ ISW	<b>A1</b>		Any correct rearrangement involving integer coefficients eg $17y - 3x - 3z \geq 0$
<b>Total</b>			<b>8</b>	

Q	Solution	Mark	Total	Comment
<p><b>8(a)(i)</b></p> <p><b>(ii)</b></p> <p><b>(b)(i)</b></p> <p><b>(ii)</b></p>	<p>If <math>x</math> is even, there would be three odds</p> <p>Hence <math>x</math> is odd.</p> <p><math>x = 1</math> ( if only seen in part (i), this mark can be awarded if a correct graph is given in part (ii))</p> <p>Graph <b>clearly having</b> 5 vertices and 5 or 6 edges</p> <p>Correct graph must <b>clearly</b> have 5 vertices, 6 edges and degree of vertices as 1, 2, 2, 3, 4</p> <p>(Min <math>\Rightarrow</math>) 0 (Max <math>\Rightarrow</math>) 9</p> <p>(the degrees of the vertices must be 0, 1, 2...9) There would be an odd number of odds Impossible</p>	<p><b>M1</b></p> <p><b>A1</b></p> <p><b>B1</b></p> <p><b>B1</b></p> <p><b>B1</b></p> <p><b>B1</b></p> <p><b>B1</b></p> <p><b>E1</b></p> <p><b>E1</b></p>	<p><b>2</b></p> <p><b>3</b></p> <p><b>2</b></p> <p><b>2</b></p> <p><b>9</b></p>	<p>Or,</p> <p>Sum = <math>5x + 7</math>, must be even, M1 (so <math>5x</math> must be odd), so <math>x</math> must be odd A1</p> <p>eg</p>  <p>Or,</p> <p>If all different, then sum = 45 Impossible, as sum must be even Or, Degrees of 0 and 9 would occur, Impossible as '9' would connect to the '0'</p>
	<b>Total</b>		<b>9</b>	