

Centre Number						Candidate Number					
Surname						Other Names					
<p>Notice to Candidate. The work you submit for assessment must be your own. If you copy from someone else or allow another candidate to copy from you, or if you cheat in any other way, you may be disqualified.</p>											
<p>Candidate Declaration. I have read and understood the Notice to Candidate and can confirm that I have produced the attached work without assistance other than that which is acceptable under the scheme of assessment.</p>											
Candidate Signature						Date					

For Teacher's Use	
Section	Mark
PSA	
Task	
Section A	
Section B	
TOTAL ISA MARK (max 50)	



General Certificate of Education
Advanced Subsidiary Examination
June 2013

Chemistry

CHM3T/Q13/test

Unit 3T AS Investigative Skills Assignment

Written Test

For submission by 15 May 2013

<p>For this paper you must have:</p> <ul style="list-style-type: none"> the Periodic Table/Data Sheet provided at the end of this paper your Task Sheet and your Candidate Results Sheet a ruler with millimetre measurements a calculator. 	<p>Time allowed</p> <ul style="list-style-type: none"> 1 hour
<p>Instructions</p> <ul style="list-style-type: none"> Use black ink or black ball-point pen. Fill in the boxes at the top of this page. Answer all questions. You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages. Do all rough work in this book. Cross through any work you do not want to be marked. 	<p>Information</p> <ul style="list-style-type: none"> The marks for questions are shown in brackets. The maximum mark for this paper is 30. You are expected to use a calculator, where appropriate. You will be marked on your ability to: <ul style="list-style-type: none"> organise information clearly use scientific terminology accurately.

Details of additional assistance (if any). Did the candidate receive any help or information in the production of this work? If you answer yes give the details below or on a separate page.

Yes No

Teacher Declaration:

I confirm that the candidate's work was conducted under the conditions laid out by the specification. I have authenticated the candidate's work and am satisfied that to the best of my knowledge the work produced is solely that of the candidate.

Signature of teacher Date

As part of AQA's commitment to assist students, AQA may make your coursework available on a strictly anonymous basis to teachers, examining staff and students in paper form or electronically, through the Internet or other means, for the purpose of indicating a typical mark or for other educational purposes. In the unlikely event that your coursework is made available for the purposes stated above, you may object to this at any time and we will remove the work on reasonable notice. If you have any concerns please contact AQA.

To see how AQA complies with the Data Protection Act 1988 please see our Privacy Statement at aqa.org.uk

Section A

These questions are about the task, to investigate how changes in the concentration of sodium thiosulfate solution affect its rate of reaction with dilute hydrochloric acid.

You should use your Task Sheet and your Candidate Results Sheet to answer these questions.

Answer **all** questions in the spaces provided.

- 1** Complete **Table 1**. You should transfer from your Candidate Results Sheet the time taken in seconds (t) for the **X** to disappear from view in each of the five experiments. You should also calculate and record a value for $\frac{1000}{t}$ for each of the five concentrations of sodium thiosulfate.

Record each value of $\frac{1000}{t}$ to an appropriate precision.

Table 1

Concentration of Na₂S₂O₃(aq) / mol dm⁻³	0.04	0.08	0.12	0.16	0.20
t/s					
$\frac{1000}{t}$					


(3 marks)

- 2** Plot a graph of $\frac{1000}{t}$ (y -axis) against concentration of Na₂S₂O₃ on the grid opposite. (4 marks)
- 3** Draw a line of best fit on your graph. (2 marks)
- 4** Use your graph to complete **Table 2**.

Table 2

Concentration of Na₂S₂O₃(aq) / mol dm⁻³	$\frac{1000}{t}$
0.05	
0.10	

(2 marks)



Turn over ►

- 5 Define the term *rate of reaction*.
Explain why it is possible to use the formula $\frac{1000}{t}$ as a measure of the rate of this reaction.

.....

.....

.....

.....

.....

.....

(2 marks)

- 6 Collision theory is used to explain why, at a constant temperature, the rate of this reaction doubles when the concentration of sodium thiosulfate is doubled and the concentration of hydrochloric acid is kept constant.

Use the data from **Table 2** in Question 4 to state whether or not your results are good enough to support this theory. Use the collision theory, as appropriate, to explain your conclusion.

.....

.....

.....

.....

.....

.....

.....

.....

(2 marks)

7 Predict which one of the five experiments in the Task leads to the least reliable rate. Give **one** reason for your answer.

.....
.....
.....
.....
.....

(2 marks)

8 The error in using a 50 cm³ measuring cylinder is ± 1.0 cm³. Calculate the maximum percentage error in using this apparatus when measuring 50 cm³ of solution.

.....
.....

(1 mark)

9 Use information from the equation and your knowledge of the experiment to deduce **two** reasons why the hazard associated with the formation of sulfur dioxide in this investigation might be considered to be low.



Reason 1

.....

.....

Reason 2

.....

.....

(2 marks)

20


Turn over ►

Section B

Answer **all** questions in the spaces provided.

The questions in this section concern the rates of some reactions of Group 2 metals.

10 In an investigation of the rate of reaction between hydrochloric acid and pure magnesium, a student obtained the following curve.



The reaction of magnesium with dilute hydrochloric acid is exothermic.

Use your understanding of collision theory to explain why the student did **not** obtain a straight line.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(3 marks)

11 The magnesium used in a laboratory experiment was supplied as a ribbon. The ribbon was stored in an open plastic bag exposed to the air.

Explain why it is important to clean the surface of this magnesium ribbon when investigating the rate of its reaction with hydrochloric acid.

.....
.....
.....
.....

(2 marks)

12 Magnesium ribbon reacts with hot water. Heated magnesium ribbon reacts with steam. State **two** differences between these reactions.

Difference 1

.....

Difference 2

.....

(2 marks)

13 Pure magnesium reacts completely with an excess of dilute sulfuric acid. The reaction of pure calcium with an excess of dilute sulfuric acid is very rapid initially. This reaction slows down and stops before all of the calcium has reacted.

Use your knowledge of the solubilities of Group 2 sulfates to explain why these reactions of magnesium and calcium with dilute sulfuric acid are so different.

.....
.....
.....
.....
.....
.....
.....
.....

(3 marks)

END OF QUESTIONS

GCE Chemistry Data Sheet

Table 1

Infrared absorption data

Bond	Wavenumber /cm ⁻¹
N-H (amines)	3300 – 3500
O-H (alcohols)	3230 – 3550
C-H	2850 – 3300
O-H (acids)	2500 – 3000
C≡N	2220 – 2260
C=O	1680 – 1750
C=C	1620 – 1680
C-O	1000 – 1300
C-C	750 – 1100


Table 2

¹H n.m.r. chemical shift data

Type of proton	δ/ppm
ROH	0.5 – 5.0
RCH ₃	0.7 – 1.2
RNH ₂	1.0 – 4.5
R ₂ CH ₂	1.2 – 1.4
R ₃ CH	1.4 – 1.6
$\begin{array}{c} \\ \text{R}-\text{C}-\text{C}- \\ \quad \\ \text{O} \quad \text{H} \end{array}$	2.1 – 2.6
$\begin{array}{c} \\ \text{R}-\text{O}-\text{C}- \\ \\ \text{H} \end{array}$	3.1 – 3.9
RCH ₂ Cl or Br	3.1 – 4.2
$\begin{array}{c} \\ \text{R}-\text{C}-\text{O}-\text{C}- \\ \quad \\ \text{O} \quad \text{H} \end{array}$	3.7 – 4.1
$\begin{array}{c} \text{H} \\ \\ \text{R}-\text{C}=\text{C}- \\ \\ \text{H} \end{array}$	4.5 – 6.0
$\begin{array}{c} \text{O} \\ \\ \text{R}-\text{C}-\text{H} \end{array}$	9.0 – 10.0
$\begin{array}{c} \text{O} \\ \\ \text{R}-\text{C}-\text{O}-\text{H} \end{array}$	10.0 – 12.0

Table 3

¹³C n.m.r. chemical shift data

Type of carbon	δ/ppm
$\begin{array}{c} \\ -\text{C}-\text{C}- \\ \end{array}$	5 – 40
$\begin{array}{c} \\ \text{R}-\text{C}-\text{Cl or Br} \\ \end{array}$	10 – 70
$\begin{array}{c} \\ \text{R}-\text{C}-\text{C}- \\ \quad \\ \text{O} \end{array}$	20 – 50
$\begin{array}{c} \\ \text{R}-\text{C}-\text{N}- \\ \end{array}$	25 – 60
$\begin{array}{c} \\ -\text{C}-\text{O}- \\ \end{array}$	alcohols, ethers or esters 50 – 90
$\begin{array}{c} \diagup \\ \text{C}=\text{C} \\ \diagdown \end{array}$	90 – 150
R-C≡N	110 – 125
	110 – 160
$\begin{array}{c} \text{O} \\ \\ \text{R}-\text{C}- \end{array}$	esters or acids 160 – 185
$\begin{array}{c} \text{O} \\ \\ \text{R}-\text{C}- \end{array}$	aldehydes or ketones 190 – 220



The Periodic Table of the Elements

	1	2	3	4	5	6	7	0
(1)	6.9 Li lithium 3	9.0 Be beryllium 4	10.8 B boron 5	12.0 C carbon 6	14.0 N nitrogen 7	16.0 O oxygen 8	19.0 F fluorine 9	20.2 Ne neon 10
(2)	23.0 Na sodium 11	24.3 Mg magnesium 12	27.0 Al aluminium 13	28.1 Si silicon 14	31.0 P phosphorus 15	32.1 S sulfur 16	35.5 Cl chlorine 17	39.9 Ar argon 18
(3)	39.1 K potassium 19	40.1 Ca calcium 20	45.0 Sc scandium 21	47.9 Ti titanium 22	50.9 V vanadium 23	52.0 Cr chromium 24	58.9 Co cobalt 27	79.9 Br bromine 35
(4)	85.5 Rb rubidium 37	87.6 Sr strontium 38	88.9 Y yttrium 39	91.2 Zr zirconium 40	92.9 Nb niobium 41	96.0 Mo molybdenum 42	101.1 Ru ruthenium 44	126.9 I iodine 53
(5)	132.9 Cs caesium 55	137.3 Ba barium 56	138.9 La* lanthanum 57	178.5 Hf hafnium 72	180.9 Ta tantalum 73	183.8 W tungsten 74	190.2 Os osmium 76	127.6 Te tellurium 52
(6)	[223] Fr francium 87	[226] Ra radium 88	[227] Ac† actinium 89	[267] Rf rutherfordium 104	[268] Db dubnium 105	[271] Sg seaborgium 106	[276] Mt meitnerium 109	[209] Po polonium 84
(7)								
(8)	1.0 H hydrogen 1							
(9)								
(10)								
(11)								
(12)								
(13)								
(14)								
(15)								
(16)								
(17)								
(18)								

relative atomic mass	symbol	name	atomic (proton) number
158.9	Tb	terbium	65
162.5	Dy	dysprosium	66
164.9	Ho	holmium	67
167.3	Er	erbium	68
168.9	Tm	thulium	69
173.1	Yb	ytterbium	70
175.0	Lu	lutetium	71
157.3	Gd	gadolinium	64
158.9	Tb	terbium	65
162.5	Dy	dysprosium	66
164.9	Ho	holmium	67
167.3	Er	erbium	68
168.9	Tm	thulium	69
173.1	Yb	ytterbium	70
175.0	Lu	lutetium	71
152.0	Eu	europium	63
157.3	Gd	gadolinium	64
158.9	Tb	terbium	65
162.5	Dy	dysprosium	66
164.9	Ho	holmium	67
167.3	Er	erbium	68
168.9	Tm	thulium	69
173.1	Yb	ytterbium	70
175.0	Lu	lutetium	71
150.4	Sm	samarium	62
152.0	Eu	europium	63
157.3	Gd	gadolinium	64
158.9	Tb	terbium	65
162.5	Dy	dysprosium	66
164.9	Ho	holmium	67
167.3	Er	erbium	68
168.9	Tm	thulium	69
173.1	Yb	ytterbium	70
175.0	Lu	lutetium	71
144.2	Nd	neodymium	60
140.9	Pr	praseodymium	59
140.1	Ce	cerium	58
150.4	Sm	samarium	62
152.0	Eu	europium	63
157.3	Gd	gadolinium	64
158.9	Tb	terbium	65
162.5	Dy	dysprosium	66
164.9	Ho	holmium	67
167.3	Er	erbium	68
168.9	Tm	thulium	69
173.1	Yb	ytterbium	70
175.0	Lu	lutetium	71
232.0	Th	thorium	90
231.0	Pa	protactinium	91
238.0	U	uranium	92
237.0	Np	neptunium	93
237.0	Pu	plutonium	94
243.0	Am	americium	95
247.0	Cm	curium	96
247.0	Bk	berkelium	97
251.0	Cf	californium	98
252.0	Es	einsteinium	99
257.0	Fm	fermium	100
258.0	Md	mendelevium	101
259.0	No	nobelium	102
262.0	Lr	lawrencium	103

Elements with atomic numbers 112-116 have been reported but not fully authenticated

* 58 – 71 Lanthanides

† 90 – 103 Actinides