

ADVANCED GCE MATHEMATICS

4729

Mechanics 2

Candidates answer on the Answer Booklet

OCR Supplied Materials:

- 8 page Answer Booklet
- List of Formulae (MF1)

Other Materials Required:

None

Friday 9 January 2009 Morning

Duration: 1 hour 30 minutes



INSTRUCTIONS TO CANDIDATES

- Write your name clearly in capital letters, your Centre Number and Candidate Number in the spaces provided on the Answer Booklet.
- Use black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully and make sure that you know what you have to do before starting your answer.
- Answer all the questions.
- Do **not** write in the bar codes.
- Give non-exact numerical answers correct to 3 significant figures unless a different degree of accuracy is specified in the question or is clearly appropriate.
- The acceleration due to gravity is denoted by $g \, \mathrm{m \, s}^{-2}$. Unless otherwise instructed, when a numerical value is needed, use g = 9.8.
- You are permitted to use a graphical calculator in this paper.


INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- You are reminded of the need for clear presentation in your answers.
- The total number of marks for this paper is 72.
- This document consists of 4 pages. Any blank pages are indicated.

2


A stone is projected from a point on level ground with speed $20 \,\mathrm{m\,s}^{-1}$ at an angle of elevation of θ° above the horizontal. When the stone is at its greatest height it just passes over the top of a tree that is 17 m high. Calculate θ .

2



A uniform right-angled triangular lamina ABC with sides AB = 12 cm, BC = 9 cm and AC = 15 cm is freely suspended from a hinge at its vertex A. The lamina has mass 2 kg and is held in equilibrium with AB horizontal by means of a string attached to B. The string is at an angle of 30° to the horizontal (see diagram). Calculate the tension in the string.

3



A door is modelled as a lamina ABCDE consisting of a uniform rectangular section ABDE of weight 60 N and a uniform semicircular section BCD of weight 10 N and radius 40 cm. AB is 200 cm and AE is 80 cm. The door is freely hinged at F and G, where G is 30 cm below B and F is 30 cm above A (see diagram).

- (i) Find the magnitudes and directions of the horizontal components of the forces on the door at each of F and G.
- (ii) Calculate the distance from AE to the centre of mass of the door.

[6]

© OCR 2009 4729 Jan09

3

A car of mass 800 kg experiences a resistance of magnitude kv^2 N, where k is a constant and v m s⁻¹ is the car's speed. The car's engine is working at a constant rate of P W. At an instant when the car is travelling on a horizontal road with speed 20 m s⁻¹ its acceleration is 0.75 m s⁻². At an instant when the car is ascending a hill of constant slope 12° to the horizontal with speed 10 m s⁻¹ its acceleration is 0.25 m s⁻².


(i) Show that
$$k = 0.900$$
, correct to 3 decimal places, and find P . [7]

The power is increased to 1.5P W.

(ii) Calculate the maximum steady speed of the car on a horizontal road.

[3]

5



A particle P of mass $0.2 \,\mathrm{kg}$ is attached to one end of each of two light inextensible strings, one of length $0.4 \,\mathrm{m}$ and one of length $0.3 \,\mathrm{m}$. The other end of the longer string is attached to a fixed point A, and the other end of the shorter string is attached to a fixed point B, which is vertically below A. The particle moves in a horizontal circle of radius $0.24 \,\mathrm{m}$ at a constant angular speed of $8 \,\mathrm{rad} \,\mathrm{s}^{-1}$ (see diagram). Both strings are taut, the tension in AP is $S \,\mathrm{N}$ and the tension in BP is $T \,\mathrm{N}$.

(i) By resolving vertically, show that 4S = 3T + 9.8. [4]

(ii) Find another equation connecting S and T and hence calculate the tensions, correct to 1 decimal place. [8]

[Questions 6 and 7 are printed overleaf.]




Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (OCR) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

OCR is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

www.qyconsult.com

- A particle is projected from a point O with speed v m s⁻¹ at an angle of elevation θ above the horizontal and it moves freely under gravity. The horizontal and upward vertical displacements of the particle from O at any subsequent time, t seconds, are x m and y m respectively.
 - (i) Express x and y in terms of θ and t, and hence show that


$$y = x \tan \theta - \frac{4.9x^2}{v^2 \cos^2 \theta}.$$
 [4]



The particle subsequently passes through the point A with coordinates (h, -h) as shown in the diagram. It is given that v = 14 and $\theta = 30^{\circ}$.

- (iii) Calculate the direction of motion of the particle at A. [5]
- (iv) Calculate the speed of the particle at A. [2]

7



Two small spheres, P and Q, are free to move on the inside of a smooth hollow cylinder, in such a way that they remain in contact with both the curved surface and the base of the cylinder. The mass of P is 0.2 kg, the mass of Q is 0.3 kg and the radius of the cylinder is 0.4 m. P and Q are stationary at opposite ends of a diameter of the base of the cylinder (see diagram). The coefficient of restitution between P and Q is 0.5. P is given an impulse of magnitude 0.8 N s in a tangential direction.

(i) Calculate the speeds of the particles after P's first impact with Q. [8]

Q subsequently catches up with P and there is a second impact.

- (ii) Calculate the speeds of the particles after this second impact. [7]
- (iii) Calculate the magnitude of the force exerted on Q by the curved surface of the cylinder after the second impact. [2]

© OCR 2009 4729 Jan09