



**Cambridge International Examinations**  
Cambridge International Advanced Subsidiary and Advanced Level

**MATHEMATICS**

**9709/63**

Paper 6 Probability & Statistics 1 (S1)

**October/November 2015**

**1 hour 15 minutes**

Additional Materials: List of Formulae (MF9)

\*  
2  
2  
3  
2  
5  
4  
2  
2  
5  
6  
\*

**READ THESE INSTRUCTIONS FIRST**

An answer booklet and a graph paper booklet are provided inside this question paper. You should follow the instructions on the front cover of both booklets. If you need additional answer paper or graph paper ask the invigilator for a continuation booklet or graph paper booklet.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

**DO NOT WRITE IN ANY BARCODES.**

Answer **all** the questions.

Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place in the case of angles in degrees, unless a different level of accuracy is specified in the question.

The use of an electronic calculator is expected, where appropriate.

You are reminded of the need for clear presentation in your answers.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

The total number of marks for this paper is 50.

This document consists of **3** printed pages, **1** blank page and **2** inserts.

## 2

- 1 The time taken,  $t$  hours, to deliver letters on a particular route each day is measured on 250 working days. The mean time taken is 2.8 hours. Given that  $\Sigma(t - 2.5)^2 = 96.1$ , find the standard deviation of the times taken. [3]
- 2 In country  $X$ , 25% of people have fair hair. In country  $Y$ , 60% of people have fair hair. There are 20 million people in country  $X$  and 8 million people in country  $Y$ . A person is chosen at random from these 28 million people.
- (i) Find the probability that the person chosen is from country  $X$ . [1]
- (ii) Find the probability that the person chosen has fair hair. [2]
- (iii) Find the probability that the person chosen is from country  $X$ , given that the person has fair hair. [2]
- 3 Ellie throws two fair tetrahedral dice, each with faces numbered 1, 2, 3 and 4. She notes the numbers on the faces that the dice land on. Event  $S$  is ‘the sum of the two numbers is 4’. Event  $T$  is ‘the product of the two numbers is an odd number’.
- (i) Determine whether events  $S$  and  $T$  are independent, showing your working. [5]
- (ii) Are events  $S$  and  $T$  exclusive? Justify your answer. [1]
- 4 The time taken for cucumber seeds to germinate under certain conditions has a normal distribution with mean 125 hours and standard deviation  $\sigma$  hours.
- (i) It is found that 13% of seeds take longer than 136 hours to germinate. Find the value of  $\sigma$ . [3]
- (ii) 170 seeds are sown. Find the expected number of seeds which take between 131 and 141 hours to germinate. [4]
- 5 (a) Find the number of different ways that the 13 letters of the word ACCOMMODATION can be arranged in a line if all the vowels (A, I, O) are next to each other. [3]
- (b) There are 7 Chinese, 6 European and 4 American students at an international conference. Four of the students are to be chosen to take part in a television broadcast. Find the number of different ways the students can be chosen if at least one Chinese and at least one European student are included. [5]
- 6 The heights to the nearest metre of 134 office buildings in a certain city are summarised in the table below.

Height (m)	21 – 40	41 – 45	46 – 50	51 – 60	61 – 80
Frequency	18	15	21	52	28

- (i) Draw a histogram on graph paper to illustrate the data. [4]
- (ii) Calculate estimates of the mean and standard deviation of these heights. [5]

## 3

- 7 A factory makes water pistols, 8% of which do not work properly.
- (i) A random sample of 19 water pistols is taken. Find the probability that at most 2 do not work properly. [3]
  - (ii) In a random sample of  $n$  water pistols, the probability that at least one does not work properly is greater than 0.9. Find the smallest possible value of  $n$ . [3]
  - (iii) A random sample of 1800 water pistols is taken. Use an approximation to find the probability that there are at least 152 that do not work properly. [5]
  - (iv) Justify the use of your approximation in part (iii). [1]

**BLANK PAGE**

---

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at [www.cie.org.uk](http://www.cie.org.uk) after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.